

表 2851 CRP濃度(mg/dL) 医療機関別（腹膜透析患者）

医療機関	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	218	59	24	13	22	3			1	1	341	322	663	0.53	1.65
(%)	(63.9)	(17.3)	(7.0)	(3.8)	(6.5)	(0.9)			(0.3)	(0.3)	(100.0)				
私立大学	352	109	55	36	18	10	3		2		585	521	1,106	0.50	1.23
(%)	(60.2)	(18.6)	(9.4)	(6.2)	(3.1)	(1.7)	(0.5)		(0.3)		(100.0)				
国立	74	36	13	8	3	2	1	1	1	1	140	82	222	0.73	2.10
(%)	(52.9)	(25.7)	(9.3)	(5.7)	(2.1)	(1.4)	(0.7)	(0.7)	(0.7)	(0.7)	(100.0)				
県市町村立	578	171	87	76	38	16	8	5	4	1	984	589	1,573	0.62	1.64
(%)	(58.7)	(17.4)	(8.8)	(7.7)	(3.9)	(1.6)	(0.8)	(0.5)	(0.4)	(0.1)	(100.0)				
社会保険	95	43	20	7	7	1		1		1	175	347	522	0.59	2.12
(%)	(54.3)	(24.6)	(11.4)	(4.0)	(4.0)	(0.6)		(0.6)		(0.6)	(100.0)				
厚生連	202	89	44	24	20	9	4		1		393	167	560	0.63	1.29
(%)	(51.4)	(22.6)	(11.2)	(6.1)	(5.1)	(2.3)	(1.0)		(0.3)		(100.0)				
その他公的	461	187	81	60	32	6	4	1	3	1	836	523	1,359	0.53	1.26
(%)	(55.1)	(22.4)	(9.7)	(7.2)	(3.8)	(0.7)	(0.5)	(0.1)	(0.4)	(0.1)	(100.0)				
私立総合	154	47	47	15	9	8	1		1	2	284	79	363	0.73	2.07
(%)	(54.2)	(16.5)	(16.5)	(5.3)	(3.2)	(2.8)	(0.4)		(0.4)	(0.7)	(100.0)				
私立	531	209	128	72	62	19	9	5	4	2	1,041	658	1,699	0.72	1.62
(%)	(51.0)	(20.1)	(12.3)	(6.9)	(6.0)	(1.8)	(0.9)	(0.5)	(0.4)	(0.2)	(100.0)				
私立診療所	291	91	41	20	13	5	2	2	3	1	469	233	702	0.53	1.52
(%)	(62.0)	(19.4)	(8.7)	(4.3)	(2.8)	(1.1)	(0.4)	(0.4)	(0.6)	(0.2)	(100.0)				
総計	2,956	1,041	540	331	224	79	32	15	20	10	5,248	3,521	8,769	0.61	1.57
(%)	(56.3)	(19.8)	(10.3)	(6.3)	(4.3)	(1.5)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査