

表 2868 透析前補正カルシウム濃度(mg/dL) 透析歴(年)別 (透析患者全体)

透析歴	7.0未満	7.0～	7.5～	8.0～	8.4～	8.5～	9.0～	9.5～	10.0～	10.1～	10.5～	11.0～	11.5～	12.0～	合計	記載なし	総計	平均	標準偏差
2年未満	380	579	2,161	6,503	1,752	18,261	17,774	8,545	931	2,082	1,011	391	134	133	60,637	8,742	69,379	8.99	0.72
(%)	(0.6)	(1.0)	(3.6)	(10.7)	(2.9)	(30.1)	(29.3)	(14.1)	(1.5)	(3.4)	(1.7)	(0.6)	(0.2)	(0.2)	(100.0)				
2年～	279	361	1,571	5,286	1,565	18,405	22,416	13,031	1,458	3,472	1,603	495	184	136	70,262	8,376	78,638	9.14	0.70
(%)	(0.4)	(0.5)	(2.2)	(7.5)	(2.2)	(26.2)	(31.9)	(18.5)	(2.1)	(4.9)	(2.3)	(0.7)	(0.3)	(0.2)	(100.0)				
5年～	263	325	1,339	4,327	1,289	15,526	21,649	15,128	1,949	4,811	2,263	666	272	179	69,986	7,815	77,801	9.25	0.73
(%)	(0.4)	(0.5)	(1.9)	(6.2)	(1.8)	(22.2)	(30.9)	(21.6)	(2.8)	(6.9)	(3.2)	(1.0)	(0.4)	(0.3)	(100.0)				
10年～	156	160	706	2,120	590	7,139	10,372	8,344	1,154	3,057	1,591	540	197	125	36,251	3,809	40,060	9.33	0.78
(%)	(0.4)	(0.4)	(1.9)	(5.8)	(1.6)	(19.7)	(28.6)	(23.0)	(3.2)	(8.4)	(4.4)	(1.5)	(0.5)	(0.3)	(100.0)				
15年～	83	98	423	1,239	348	3,781	5,379	4,419	658	1,693	867	332	104	82	19,506	2,049	21,555	9.33	0.80
(%)	(0.4)	(0.5)	(2.2)	(6.4)	(1.8)	(19.4)	(27.6)	(22.7)	(3.4)	(8.7)	(4.4)	(1.7)	(0.5)	(0.4)	(100.0)				
20年～	65	82	268	710	213	2,176	2,935	2,500	322	903	458	180	64	32	10,908	1,123	12,031	9.29	0.81
(%)	(0.6)	(0.8)	(2.5)	(6.5)	(2.0)	(19.9)	(26.9)	(22.9)	(3.0)	(8.3)	(4.2)	(1.7)	(0.6)	(0.3)	(100.0)				
25年～	28	53	159	465	102	1,232	1,687	1,340	166	490	270	81	24	19	6,116	614	6,730	9.27	0.80
(%)	(0.5)	(0.9)	(2.6)	(7.6)	(1.7)	(20.1)	(27.6)	(21.9)	(2.7)	(8.0)	(4.4)	(1.3)	(0.4)	(0.3)	(100.0)				
30年～	15	29	104	261	68	695	991	757	99	282	155	48	17	7	3,528	389	3,917	9.26	0.79
(%)	(0.4)	(0.8)	(2.9)	(7.4)	(1.9)	(19.7)	(28.1)	(21.5)	(2.8)	(8.0)	(4.4)	(1.4)	(0.5)	(0.2)	(100.0)				
35年～	11	18	65	135	40	365	483	437	65	150	83	34	9	9	1,904	192	2,096	9.28	0.83
(%)	(0.6)	(0.9)	(3.4)	(7.1)	(2.1)	(19.2)	(25.4)	(23.0)	(3.4)	(7.9)	(4.4)	(1.8)	(0.5)	(0.5)	(100.0)				
40年～	2	4	18	43	6	111	154	121	16	35	32	13	1	2	558	59	617	9.29	0.82
(%)	(0.4)	(0.7)	(3.2)	(7.7)	(1.1)	(19.9)	(27.6)	(21.7)	(2.9)	(6.3)	(5.7)	(2.3)	(0.2)	(0.4)	(100.0)				
合計	1,282	1,709	6,814	21,089	5,973	67,691	83,840	54,622	6,818	16,975	8,333	2,780	1,006	724	279,656	33,168	312,824	9.18	0.75
(%)	(0.5)	(0.6)	(2.4)	(7.5)	(2.1)	(24.2)	(30.0)	(19.5)	(2.4)	(6.1)	(3.0)	(1.0)	(0.4)	(0.3)	(100.0)				
不明			3	15	1	45	61	34	9	16	6	3	1	1	195	197	392	9.29	0.72
(%)			(1.5)	(7.7)	(0.5)	(23.1)	(31.3)	(17.4)	(4.6)	(8.2)	(3.1)	(1.5)	(0.5)	(0.5)	(100.0)				
記載なし																1	1		
(%)																			
総計	1,282	1,709	6,817	21,104	5,974	67,736	83,901	54,656	6,827	16,991	8,339	2,783	1,007	725	279,851	33,366	313,217	9.18	0.75
(%)	(0.5)	(0.6)	(2.4)	(7.5)	(2.1)	(24.2)	(30.0)	(19.5)	(2.4)	(6.1)	(3.0)	(1.0)	(0.4)	(0.3)	(100.0)				
平均	7.05	6.96	6.79	6.43	6.33	6.40	7.11	8.30	8.85	9.29	9.68	9.92	9.49	8.80	7.39	6.69	7.31		
標準偏差	7.92	8.49	8.13	7.62	7.36	7.20	7.32	7.68	7.76	7.85	8.11	8.34	7.81	8.01	7.57	7.38	7.55		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査