

表 2913 補正カルシウム濃度(mg/dL) 透析歴(年)別 (腹膜透析患者)

透析歴	7.0未満	7.0～	7.5～	8.0～	8.4～	8.5～	9.0～	9.5～	10.0～	10.1～	10.5～	11.0～	11.5～	12.0～	合計	記載なし	総計	平均	標準偏差
2年未満	13	20	74	159	43	507	680	543	76	157	85	38	9	8	2,412	1,268	3,680	9.24	0.80
(%)	(0.5)	(0.8)	(3.1)	(6.6)	(1.8)	(21.0)	(28.2)	(22.5)	(3.2)	(6.5)	(3.5)	(1.6)	(0.4)	(0.3)	(100.0)				
2年～	8	10	31	78	25	332	601	547	72	201	112	39	18	5	2,079	1,023	3,102	9.44	0.77
(%)	(0.4)	(0.5)	(1.5)	(3.8)	(1.2)	(16.0)	(28.9)	(26.3)	(3.5)	(9.7)	(5.4)	(1.9)	(0.9)	(0.2)	(100.0)				
5年～	2	8	10	58	9	147	258	295	40	131	65	16	12	4	1,055	465	1,520	9.50	0.80
(%)	(0.2)	(0.8)	(0.9)	(5.5)	(0.9)	(13.9)	(24.5)	(28.0)	(3.8)	(12.4)	(6.2)	(1.5)	(1.1)	(0.4)	(100.0)				
10年～	1	1	6	9	5	40	50	70	10	37	17	2	2	1	251	63	314	9.51	0.79
(%)	(0.4)	(0.4)	(2.4)	(3.6)	(2.0)	(15.9)	(19.9)	(27.9)	(4.0)	(14.7)	(6.8)	(0.8)	(0.8)	(0.4)	(100.0)				
15年～		1	1	1	1	7	12	13	5	8	8	1	1		59	28	87	9.65	0.82
(%)		(1.7)	(1.7)	(1.7)	(1.7)	(11.9)	(20.3)	(22.0)	(8.5)	(13.6)	(13.6)	(1.7)	(1.7)		(100.0)				
20年～						2	8	3	1	1	1				16	10	26	9.45	0.55
(%)						(12.5)	(50.0)	(18.8)	(6.3)	(6.3)	(6.3)				(100.0)				
25年～						2	2	2	1	1				1	9	3	12	9.79	1.14
(%)						(22.2)	(22.2)	(22.2)	(11.1)	(11.1)				(11.1)	(100.0)				
30年～			1			1		1		1	1				5	1	6	9.46	1.22
(%)			(20.0)			(20.0)		(20.0)		(20.0)	(20.0)				(100.0)				
35年～						1			1						2		2	9.35	0.92
(%)						(50.0)			(50.0)						(100.0)				
40年～								1							1	1	2	9.80	
(%)								(100.0)							(100.0)				
合計	24	40	123	305	83	1,039	1,611	1,475	206	537	289	96	42	19	5,889	2,862	8,751	9.37	0.80
(%)	(0.4)	(0.7)	(2.1)	(5.2)	(1.4)	(17.6)	(27.4)	(25.0)	(3.5)	(9.1)	(4.9)	(1.6)	(0.7)	(0.3)	(100.0)				
不明						1	1	1		1					4	14	18	9.40	0.61
(%)						(25.0)	(25.0)	(25.0)		(25.0)					(100.0)				
記載なし																			
(%)																			
総計	24	40	123	305	83	1,040	1,612	1,476	206	538	289	96	42	19	5,893	2,876	8,769	9.37	0.80
(%)	(0.4)	(0.7)	(2.1)	(5.2)	(1.4)	(17.6)	(27.4)	(25.0)	(3.5)	(9.1)	(4.9)	(1.6)	(0.7)	(0.3)	(100.0)				
平均	2.25	2.90	2.33	2.48	2.60	2.68	2.86	3.33	3.82	3.99	4.03	2.84	4.00	4.16	3.11	2.75	2.99		
標準偏差	2.75	3.66	4.05	2.95	3.38	3.60	3.32	3.62	4.88	3.88	4.22	2.88	3.47	6.14	3.65	3.34	3.55		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査