

表 2991 PTH値(pg/mL) 原疾患別 (透析患者全体) PTH測定法:intact-PTH

原疾患	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	3,524	4,431	4,987	5,426	5,562	5,565	5,419	5,052	4,626	10,666	137	6,433	3,952	2,356	1,404	396	576	627	1,131	1,087	73,357	1,441	74,798	189.25	191.91
(%)	(4.8)	(6.0)	(6.8)	(7.4)	(7.6)	(7.6)	(7.4)	(6.9)	(6.3)	(14.5)	(0.2)	(8.8)	(5.4)	(3.2)	(1.9)	(0.5)	(0.8)	(0.9)	(1.5)	(1.5)	(100.0)				
慢性腎盂腎炎	115	138	145	177	182	184	164	141	139	350	4	199	107	74	44	12	19	22	28	34	2,278	52	2,330	187.28	186.77
(%)	(5.0)	(6.1)	(6.4)	(7.8)	(8.0)	(8.1)	(7.2)	(6.2)	(6.1)	(15.4)	(0.2)	(8.7)	(4.7)	(3.2)	(1.9)	(0.5)	(0.8)	(1.0)	(1.2)	(1.5)	(100.0)				
急速進行性糸球体腎炎	83	118	164	153	155	145	147	121	130	270	3	134	90	41	29	6	14	9	16	12	1,840	50	1,890	165.07	155.66
(%)	(4.5)	(6.4)	(8.9)	(8.3)	(8.4)	(7.9)	(8.0)	(6.6)	(7.1)	(14.7)	(0.2)	(7.3)	(4.9)	(2.2)	(1.6)	(0.3)	(0.8)	(0.5)	(0.9)	(0.7)	(100.0)				
妊娠腎/妊娠中毒症	71	85	98	113	92	83	81	97	91	158	1	101	69	27	21	8	15	15	22	17	1,265	26	1,291	182.64	186.77
(%)	(5.6)	(6.7)	(7.7)	(8.9)	(7.3)	(6.6)	(6.4)	(7.7)	(7.2)	(12.5)	(0.1)	(8.0)	(5.5)	(2.1)	(1.7)	(0.6)	(1.2)	(1.2)	(1.7)	(1.3)	(100.0)				
その他の分類不能の腎炎	51	70	76	73	77	93	88	75	75	144	2	104	75	33	26	7	8	7	11	25	1,120	14	1,134	198.14	218.42
(%)	(4.6)	(6.3)	(6.8)	(6.5)	(6.9)	(8.3)	(7.9)	(6.7)	(6.7)	(12.9)	(0.2)	(9.3)	(6.7)	(2.9)	(2.3)	(0.6)	(0.7)	(0.6)	(1.0)	(2.2)	(100.0)				
多発性囊胞腎	338	543	558	631	702	688	670	629	576	1,311	18	852	457	280	201	37	63	78	135	99	8,866	161	9,027	188.07	179.43
(%)	(3.8)	(6.1)	(6.3)	(7.1)	(7.9)	(7.8)	(7.6)	(7.1)	(6.5)	(14.8)	(0.2)	(9.6)	(5.2)	(3.2)	(2.3)	(0.4)	(0.7)	(0.9)	(1.5)	(1.1)	(100.0)				
腎硬化症	778	1,466	1,680	1,795	1,806	1,795	1,820	1,643	1,495	3,518	51	2,012	1,177	697	425	111	163	159	282	209	23,082	581	23,663	179.45	164.31
(%)	(3.4)	(6.4)	(7.3)	(7.8)	(7.8)	(7.8)	(7.9)	(7.1)	(6.5)	(15.2)	(0.2)	(8.7)	(5.1)	(3.0)	(1.8)	(0.5)	(0.7)	(0.7)	(1.2)	(0.9)	(100.0)				
悪性高血圧	70	104	137	132	173	140	134	140	130	313	2	178	109	75	47	14	11	18	37	25	1,989	35	2,024	193.82	176.25
(%)	(3.5)	(5.2)	(6.9)	(6.6)	(8.7)	(7.0)	(6.7)	(7.0)	(6.5)	(15.7)	(0.1)	(8.9)	(5.5)	(3.8)	(2.4)	(0.7)	(0.6)	(0.9)	(1.9)	(1.3)	(100.0)				
糖尿病性腎症	3,935	6,533	6,936	7,343	7,712	7,426	7,246	6,739	6,001	13,805	172	8,025	4,530	2,534	1,396	332	525	583	926	547	93,246	2,639	95,885	168.46	145.77
(%)	(4.2)	(7.0)	(7.4)	(7.9)	(8.3)	(8.0)	(7.8)	(7.2)	(6.4)	(14.8)	(0.2)	(8.6)	(4.9)	(2.7)	(1.5)	(0.4)	(0.6)	(0.6)	(1.0)	(0.6)	(100.0)				
SLE腎炎	92	119	109	137	144	116	117	118	108	242		149	84	54	23	9	10	23	16	23	1,693	50	1,743	181.93	198.10
(%)	(5.4)	(7.0)	(6.4)	(8.1)	(8.5)	(6.9)	(6.9)	(7.0)	(6.4)	(14.3)		(8.8)	(5.0)	(3.2)	(1.4)	(0.5)	(0.6)	(1.4)	(0.9)	(1.4)	(100.0)				
アミロイド腎	11	34	26	29	39	21	16	23	29	39	1	17	15	10	6	1	2	3	3		325	9	334	155.26	123.85
(%)	(3.4)	(10.5)	(8.0)	(8.9)	(12.0)	(6.5)	(4.9)	(7.1)	(8.9)	(12.0)	(0.3)	(5.2)	(4.6)	(3.1)	(1.8)	(0.3)	(0.6)	(0.9)	(0.9)		(100.0)				
痛風腎	33	49	48	60	73	63	50	49	59	131	1	88	35	30	19	5	8	8	17	16	842	22	864	201.68	204.80
(%)	(3.9)	(5.8)	(5.7)	(7.1)	(8.7)	(7.5)	(5.9)	(5.8)	(7.0)	(15.6)	(0.1)	(10.5)	(4.2)	(3.6)	(2.3)	(0.6)	(1.0)	(1.0)	(2.0)	(1.9)	(100.0)				
先天性代謝異常による腎不全	10	17	8	21	13	15	16	9	7	24	1	17	13	7	8	1	3	2	6	1	199	7	206	193.68	166.80
(%)	(5.0)	(8.5)	(4.0)	(10.6)	(6.5)	(7.5)	(8.0)	(4.5)	(3.5)	(12.1)	(0.5)	(8.5)	(6.5)	(3.5)	(4.0)	(0.5)	(1.5)	(1.0)	(3.0)	(0.5)	(100.0)				
腎・尿路結核	12	11	4	10	15	14	9	9	11	25		8	8	4	2		2		1		145	2	147	157.41	118.07
(%)	(8.3)	(7.6)	(2.8)	(6.9)	(10.3)	(9.7)	(6.2)	(6.2)	(7.6)	(17.2)		(5.5)	(5.5)	(2.8)	(1.4)		(1.4)		(0.7)		(100.0)				
腎・尿路結石	22	24	34	35	35	31	43	33	27	71	1	51	18	13	8		1	1	5	8	464	11	475	197.50	335.91
(%)	(4.7)	(5.2)	(7.3)	(7.5)	(7.5)	(6.7)	(9.3)	(7.1)	(5.8)	(15.3)	(0.2)	(11.0)	(3.9)	(2.8)	(1.7)	(0.6)	(0.2)	(0.2)	(1.1)	(1.7)	(100.0)				
腎・尿路腫瘍	22	44	52	66	59	53	65	45	39	91	1	65	29	12	17	2	12	5	13	4	696	15	711	177.55	158.51
(%)	(3.2)	(6.3)	(7.5)	(9.5)	(8.5)	(7.6)	(9.3)	(6.5)	(5.6)	(13.1)	(0.1)	(9.3)	(4.2)	(1.7)	(2.4)	(0.3)	(1.7)	(0.7)	(1.9)	(0.6)	(100.0)				
閉塞性尿路障害	20	40	38	38	35	39	37	32	30	95		54	26	15	14		5	6	19	16	559	9	568	222.55	305.97
(%)	(3.6)	(7.2)	(6.8)	(6.8)	(6.3)	(7.0)	(6.6)	(5.7)	(5.4)	(17.0)		(9.7)	(4.7)	(2.7)	(2.5)		(0.9)	(1.1)	(3.4)	(2.9)	(100.0)				
骨髄腫	9	15	23	14	18	15	16	15	19	38		9	7	8	3			1	3		213	5	218	155.20	119.91
(%)	(4.2)	(7.0)	(10.8)	(6.6)	(8.5)	(7.0)	(7.5)	(7.0)	(8.9)	(17.8)		(4.2)	(3.3)	(3.8)	(1.4)		(0.5)	(1.4)		(100.0)					
腎形成不全	25	34	37	31	24	34	31	33	34	79		57	25	22	12	3	3	7	15	12	518	5	523	216.31	227.21
(%)	(4.8)	(6.6)	(7.1)	(6.0)	(4.6)	(6.6)	(6.0)	(6.4)	(6.6)	(15.3)		(11.0)	(4.8)	(4.2)	(2.3)	(0.6)	(0.6)	(1.4)	(2.9)	(2.3)	(100.0)				
不明	930	1,499	1,625	1,845	1,902	1,842	1,710	1,520	1,477	3,373	43	1,974	1,194	623	446	105	146	175	317	260	23,006	636	23,642	180.94	180.37
(%)	(4.0)	(6.5)	(7.1)	(8.0)	(8.3)	(8.0)	(7.4)	(6.6)	(6.4)	(14.7)	(0.2)	(8.6)	(5.2)	(2.7)	(1.9)	(0.5)	(0.6)	(0.8)	(1.4)	(1.1)	(100.0)				
再導入	88	96	114	113	110	137	109	125	113	208	4	160	86	53	48	5	14	17	38	34	1,672	27	1,699	202.61	217.87
(%)	(5.3)	(5.7)	(6.8)	(6.8)	(6.6)	(8.2)	(6.5)	(7.5)	(6.8)	(12.4)	(0.2)	(9.6)	(5.1)	(3.2)	(2.9)	(0.3)	(0.8)	(1.0)	(2.3)	(2.0)	(100.0)				
その他	247	413	458	487	500	523	425	431	400	887	7	570	316	172	105	22	43	53	77	78	6,214	153	6,367	181.27	178.16
(%)	(4.0)	(6.6)	(7.4)	(7.8)	(8.0)	(8.4)	(6.8)	(6.9)	(6.4)	(14.3)	(0.1)	(9.2)	(5.1)	(2.8)	(1.7)	(0.4)	(0.7)	(0.9)	(1.2)	(1.3)	(100.0)				
合計	10,486	15,883	17,357	18,729	19,428	19,022	18,413	17,079	15,616	35,838	449	21,257	12,422	7,140	4,304	1,079	1,643	1,819	3,118	2,507	243,589	5,950	249,539	179.28	171.80
(%)	(4.3)	(6.5)	(7.1)	(7.7)	(8.0)	(7.8)	(7.6)	(7.0)	(6.4)	(14.7)	(0.2)	(8.7)	(5.1)	(2.9)	(1.8)	(0.4)	(0.7)	(0.7)	(1.3)	(1.0)	(100.0)				
記載なし	3	2	1	1				2		3		1									13	1	14	107.24	92.94
(%)	(23.1)	(15.4)	(7.7)	(7.7)				(15.4)		(23.1)		(7.7)									(100.0)				
総計	10,489	15,885	17,358	18,730	19,428	19,022	18,413	17,081	15,616	35,841	449	21,258	12,422	7,140	4,304	1,079	1,643	1,819	3,118	2,507	243,602	5,951	249,553	179.28	171.80
(%)	(4.3)	(6.5)	(7.1)	(7.7)	(8.0)	(7.8)	(7.6)	(7.0)	(6.4)	(14.7)	(0.2)	(8.7)	(5.1)	(2.9)	(1.8)	(0.4)	(0.7)	(0.7)	(1.3)	(1.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy
2015年調査