

表 3016 PTH値(pg/mL) 透析歴(年)別（血液透析濾過患者 透析回数週3回）PTH測定法:intact-PTH

透析歴	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
2年未満	236	391	380	453	419	398	414	385	376	825	6	503	266	137	73	20	39	34	48	30	5,433	140	5,573	169.28	150.43
(%)	(4.3)	(7.2)	(7.0)	(8.3)	(7.7)	(7.3)	(7.6)	(7.1)	(6.9)	(15.2)	(0.1)	(9.3)	(4.9)	(2.5)	(1.3)	(0.4)	(0.7)	(0.6)	(0.9)	(0.6)	(100.0)				
2年～	373	647	681	791	848	818	779	705	626	1,435	18	770	453	227	140	37	54	43	76	67	9,588	176	9,764	165.69	140.50
(%)	(3.9)	(6.7)	(7.1)	(8.2)	(8.8)	(8.5)	(8.1)	(7.4)	(6.5)	(15.0)	(0.2)	(8.0)	(4.7)	(2.4)	(1.5)	(0.4)	(0.6)	(0.4)	(0.8)	(0.7)	(100.0)				
5年～	309	570	680	829	907	865	897	764	712	1,730	20	1,045	608	345	208	45	83	73	157	125	10,972	189	11,161	188.61	174.20
(%)	(2.8)	(5.2)	(6.2)	(7.6)	(8.3)	(7.9)	(8.2)	(7.0)	(6.5)	(15.8)	(0.2)	(9.5)	(5.5)	(3.1)	(1.9)	(0.4)	(0.8)	(0.7)	(1.4)	(1.1)	(100.0)				
10年～	175	269	397	435	517	503	472	465	450	1,005	14	678	398	247	150	40	50	58	134	108	6,565	80	6,645	207.50	209.79
(%)	(2.7)	(4.1)	(6.0)	(6.6)	(7.9)	(7.7)	(7.2)	(7.1)	(6.9)	(15.3)	(0.2)	(10.3)	(6.1)	(3.8)	(2.3)	(0.6)	(0.8)	(0.9)	(2.0)	(1.6)	(100.0)				
15年～	168	201	240	273	296	329	328	269	251	630	7	403	224	153	83	25	35	47	76	69	4,107	50	4,157	202.31	199.46
(%)	(4.1)	(4.9)	(5.8)	(6.6)	(7.2)	(8.0)	(8.0)	(6.5)	(6.1)	(15.3)	(0.2)	(9.8)	(5.5)	(3.7)	(2.0)	(0.6)	(0.9)	(1.1)	(1.9)	(1.7)	(100.0)				
20年～	180	146	182	139	194	199	201	205	175	360	7	226	143	78	58	13	18	31	41	59	2,655	32	2,687	197.35	223.79
(%)	(6.8)	(5.5)	(6.9)	(5.2)	(7.3)	(7.5)	(7.6)	(7.7)	(6.6)	(13.6)	(0.3)	(8.5)	(5.4)	(2.9)	(2.2)	(0.5)	(0.7)	(1.2)	(1.5)	(2.2)	(100.0)				
25年～	151	113	109	134	120	113	120	113	110	234	3	127	85	43	22	9	8	14	22	19	1,669	26	1,695	170.49	168.72
(%)	(9.0)	(6.8)	(6.5)	(8.0)	(7.2)	(6.8)	(7.2)	(6.8)	(6.6)	(14.0)	(0.2)	(7.6)	(5.1)	(2.6)	(1.3)	(0.5)	(0.5)	(0.8)	(1.3)	(1.1)	(100.0)				
30年～	97	88	91	92	84	73	56	58	55	114		81	42	23	16	3	7	5	9	12	1,006	21	1,027	154.84	155.34
(%)	(9.6)	(8.7)	(9.0)	(9.1)	(8.3)	(7.3)	(5.6)	(5.8)	(5.5)	(11.3)		(8.1)	(4.2)	(2.3)	(1.6)	(0.3)	(0.7)	(0.5)	(0.9)	(1.2)	(100.0)				
35年～	61	45	41	49	44	43	34	30	32	65		33	25	15	12	2	7	2	4	9	553	16	569	164.15	187.45
(%)	(11.0)	(8.1)	(7.4)	(8.9)	(8.0)	(7.8)	(6.1)	(5.4)	(5.8)	(11.8)		(6.0)	(4.5)	(2.7)	(2.2)	(0.4)	(1.3)	(0.4)	(0.7)	(1.6)	(100.0)				
40年～	25	16	6	10	19	10	15	7	5	25		7	4	7	4	2		3	1		166	3	169	147.11	134.81
(%)	(15.1)	(9.6)	(3.6)	(6.0)	(11.4)	(6.0)	(9.0)	(4.2)	(3.0)	(15.1)		(4.2)	(2.4)	(4.2)	(2.4)	(1.2)		(1.8)	(0.6)		(100.0)				
合計	1,775	2,486	2,807	3,205	3,448	3,351	3,316	3,001	2,792	6,423	75	3,873	2,248	1,275	766	196	301	310	568	498	42,714	733	43,447	183.79	176.86
(%)	(4.2)	(5.8)	(6.6)	(7.5)	(8.1)	(7.8)	(7.8)	(7.0)	(6.5)	(15.0)	(0.2)	(9.1)	(5.3)	(3.0)	(1.8)	(0.5)	(0.7)	(0.7)	(1.3)	(1.2)	(100.0)				
不明	3	2	3	5	4	4	4	3	5	8		4	1	1	1					1	49		49	166.63	162.30
(%)	(6.1)	(4.1)	(6.1)	(10.2)	(8.2)	(8.2)	(8.2)	(6.1)	(10.2)	(16.3)		(8.2)	(2.0)	(2.0)	(2.0)					(2.0)	(100.0)				
記載なし																									
(%)																									
総計	1,778	2,488	2,810	3,210	3,452	3,355	3,320	3,004	2,797	6,431	75	3,877	2,249	1,276	767	196	301	310	568	499	42,763	733	43,496	183.77	176.85
(%)	(4.2)	(5.8)	(6.6)	(7.5)	(8.1)	(7.8)	(7.8)	(7.0)	(6.5)	(15.0)	(0.2)	(9.1)	(5.3)	(3.0)	(1.8)	(0.5)	(0.7)	(0.7)	(1.3)	(1.2)	(100.0)				
平均	12.77	9.58	9.62	9.27	9.40	9.45	9.31	9.40	9.44	9.36	9.65	9.56	9.78	10.27	10.43	10.61	10.13	11.41	10.82	12.21	9.70	8.79	9.69		
標準偏差	11.23	9.60	8.97	8.89	8.67	8.46	8.35	8.31	8.42	8.29	7.36	8.15	8.24	8.40	8.45	8.50	8.69	8.67	7.73	8.38	8.68	9.31	8.69		

数値下のかつこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査