

表 3046 PTH値(pg/mL) 原疾患別 (透析患者全体) PTH測定法:whole-PTH

原疾患	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	570	705	621	1,009	895	695	487	14	415	278	179	236	97	61	94	110	6,466	180	6,646	114.98	127.62
(%)	(8.8)	(10.9)	(9.6)	(15.6)	(13.8)	(10.7)	(7.5)	(0.2)	(6.4)	(4.3)	(2.8)	(3.6)	(1.5)	(0.9)	(1.5)	(1.7)	(100.0)				
慢性腎盂腎炎	21	28	35	44	23	31	18	1	15	9	7	8	4	2	2	5	253	7	260	113.07	168.00
(%)	(8.3)	(11.1)	(13.8)	(17.4)	(9.1)	(12.3)	(7.1)	(0.4)	(5.9)	(3.6)	(2.8)	(3.2)	(1.6)	(0.8)	(0.8)	(2.0)	(100.0)				
急速進行性糸球体腎炎	24	39	23	42	23	11	15		9	10	3	2	4	1		1	207	11	218	82.15	75.81
(%)	(11.6)	(18.8)	(11.1)	(20.3)	(11.1)	(5.3)	(7.2)		(4.3)	(4.8)	(1.4)	(1.0)	(1.9)	(0.5)		(0.5)	(100.0)				
妊娠腎/妊娠中毒症	10	19	6	14	15	14	8		8	2	1	4	1	1	4	2	109	4	113	118.82	142.81
(%)	(9.2)	(17.4)	(5.5)	(12.8)	(13.8)	(12.8)	(7.3)		(7.3)	(1.8)	(0.9)	(3.7)	(0.9)	(0.9)	(3.7)	(1.8)	(100.0)				
その他の分類不能の腎炎	12	9	7	12	15	12	9		4	3	3	5	1	2		1	95	2	97	108.86	101.49
(%)	(12.6)	(9.5)	(7.4)	(12.6)	(15.8)	(12.6)	(9.5)		(4.2)	(3.2)	(3.2)	(5.3)	(1.1)	(2.1)		(1.1)	(100.0)				
多発性嚢胞腎	73	85	85	121	124	93	70	2	51	39	37	32	19	12	6	10	859	20	879	114.19	103.69
(%)	(8.5)	(9.9)	(9.9)	(14.1)	(14.4)	(10.8)	(8.1)	(0.2)	(5.9)	(4.5)	(4.3)	(3.7)	(2.2)	(1.4)	(0.7)	(1.2)	(100.0)				
腎硬化症	160	223	222	337	267	212	172	3	117	82	63	98	20	25	25	14	2,040	83	2,123	108.99	103.97
(%)	(7.8)	(10.9)	(10.9)	(16.5)	(13.1)	(10.4)	(8.4)	(0.1)	(5.7)	(4.0)	(3.1)	(4.8)	(1.0)	(1.2)	(1.2)	(0.7)	(100.0)				
悪性高血圧	14	21	22	31	39	26	13		11	2	10	4	2		2	6	203	8	211	119.99	180.62
(%)	(6.9)	(10.3)	(10.8)	(15.3)	(19.2)	(12.8)	(6.4)		(5.4)	(1.0)	(4.9)	(2.0)	(1.0)		(1.0)	(3.0)	(100.0)				
糖尿病性腎症	702	866	854	1,257	1,118	865	599	19	512	329	207	214	89	59	56	69	7,815	323	8,138	102.11	96.06
(%)	(9.0)	(11.1)	(10.9)	(16.1)	(14.3)	(11.1)	(7.7)	(0.2)	(6.6)	(4.2)	(2.6)	(2.7)	(1.1)	(0.8)	(0.7)	(0.9)	(100.0)				
SLE腎炎	24	19	14	21	20	17	8		12	6	6	7	4	2		3	163	9	172	110.95	123.95
(%)	(14.7)	(11.7)	(8.6)	(12.9)	(12.3)	(10.4)	(4.9)		(7.4)	(3.7)	(3.7)	(4.3)	(2.5)	(1.2)		(1.8)	(100.0)				
アミロイド腎	5	10	4	8	5	2			4	3	1	3					45		45	87.21	74.26
(%)	(11.1)	(22.2)	(8.9)	(17.8)	(11.1)	(4.4)			(8.9)	(6.7)	(2.2)	(6.7)					(100.0)				
痛風腎	5	3	7	12	10	9	6		11	4	3		2		3	3	78	4	82	145.04	143.14
(%)	(6.4)	(3.8)	(9.0)	(15.4)	(12.8)	(11.5)	(7.7)		(14.1)	(5.1)	(3.8)		(2.6)		(3.8)	(3.8)	(100.0)				
先天性代謝異常による腎不全		2	3	4	2	2	3		1		1	1				1	20	1	21	133.27	166.13
(%)		(10.0)	(15.0)	(20.0)	(10.0)	(10.0)	(15.0)		(5.0)		(5.0)	(5.0)				(5.0)	(100.0)				
腎・尿路結核		3	2	4	2	3	2		1				2				19		19	99.89	69.05
(%)		(15.8)	(10.5)	(21.1)	(10.5)	(15.8)	(10.5)		(5.3)				(10.5)				(100.0)				
腎・尿路結石	5	3	3	6	10	3	2		2	3	1		1		1	1	41	2	43	116.74	131.93
(%)	(12.2)	(7.3)	(7.3)	(14.6)	(24.4)	(7.3)	(4.9)		(4.9)	(7.3)	(2.4)		(2.4)		(2.4)	(2.4)	(100.0)				
腎・尿路腫瘍	8	6	7	8	7	6	3		7	1	1	2	1				57	1	58	89.88	69.44
(%)	(14.0)	(10.5)	(12.3)	(14.0)	(12.3)	(10.5)	(5.3)		(12.3)	(1.8)	(1.8)	(3.5)	(1.8)				(100.0)				
閉塞性尿路障害	7	2	8	12	7	2	6		1	3			1	1	1	2	53	3	56	118.00	180.55
(%)	(13.2)	(3.8)	(15.1)	(22.6)	(13.2)	(3.8)	(11.3)		(1.9)	(5.7)			(1.9)	(1.9)	(1.9)		(3.8)	(100.0)			
骨髄腫	2		2	3	3	5	1		2	2	1				1		22		22	117.10	88.86
(%)	(9.1)		(9.1)	(13.6)	(13.6)	(22.7)	(4.5)		(9.1)	(9.1)	(4.5)				(4.5)		(100.0)				
腎形成不全	8	1	7	10	7	7	1		2	4	3	1	2	1	1	4	59		59	151.50	185.19
(%)	(13.6)	(1.7)	(11.9)	(16.9)	(11.9)	(11.9)	(1.7)		(3.4)	(6.8)	(5.1)	(1.7)	(3.4)	(1.7)	(1.7)	(6.8)	(100.0)				
不明	140	166	154	252	204	200	114	4	106	70	47	57	28	21	18	41	1,622	143	1,765	122.20	144.50
(%)	(8.6)	(10.2)	(9.5)	(15.5)	(12.6)	(12.3)	(7.0)	(0.2)	(6.5)	(4.3)	(2.9)	(3.5)	(1.7)	(1.3)	(1.1)	(2.5)	(100.0)				
再導入	9	14	8	31	23	14	19	2	10	9	9	11	5	2	3	6	175	2	177	146.57	152.23
(%)	(5.1)	(8.0)	(4.6)	(17.7)	(13.1)	(8.0)	(10.9)	(1.1)	(5.7)	(5.1)	(5.1)	(6.3)	(2.9)	(1.1)	(1.7)	(3.4)	(100.0)				
その他	53	58	54	77	78	48	38	3	28	18	9	17	9	8	7	7	512	18	530	112.56	140.31
(%)	(10.4)	(11.3)	(10.5)	(15.0)	(15.2)	(9.4)	(7.4)	(0.6)	(5.5)	(3.5)	(1.8)	(3.3)	(1.8)	(1.6)	(1.4)	(1.4)	(100.0)				
合計	1,852	2,282	2,148	3,315	2,897	2,277	1,594	48	1,329	877	592	705	290	198	223	286	20,913	821	21,734	110.08	116.94
(%)	(8.9)	(10.9)	(10.3)	(15.9)	(13.9)	(10.9)	(7.6)	(0.2)	(6.4)	(4.2)	(2.8)	(3.4)	(1.4)	(0.9)	(1.1)	(1.4)	(100.0)				
記載なし																					
(%)																					
総計	1,852	2,282	2,148	3,315	2,897	2,277	1,594	48	1,329	877	592	705	290	198	223	286	20,913	821	21,734	110.08	116.94
(%)	(8.9)	(10.9)	(10.3)	(15.9)	(13.9)	(10.9)	(7.6)	(0.2)	(6.4)	(4.2)	(2.8)	(3.4)	(1.4)	(0.9)	(1.1)	(1.4)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査