

表 3050 PTH値(pg/mL) 透析歴(年)別（施設血液透析患者 透析回数週3回）PTH測定法:whole-PTH

透析歴	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
2年未満	325	376	306	479	463	376	285	9	219	157	108	127	42	40	32	33	3,377	152	3,529	108.99	100.47
(%)	(9.6)	(11.1)	(9.1)	(14.2)	(13.7)	(11.1)	(8.4)	(0.3)	(6.5)	(4.6)	(3.2)	(3.8)	(1.2)	(1.2)	(0.9)	(1.0)	(100.0)				
2年～	360	472	469	673	546	434	279	2	212	123	87	97	30	23	22	20	3,849	145	3,994	93.31	85.61
(%)	(9.4)	(12.3)	(12.2)	(17.5)	(14.2)	(11.3)	(7.2)	(0.1)	(5.5)	(3.2)	(2.3)	(2.5)	(0.8)	(0.6)	(0.6)	(0.5)	(100.0)				
5年～	330	463	438	655	595	442	310	14	292	172	111	135	65	36	35	51	4,144	144	4,288	108.97	110.42
(%)	(8.0)	(11.2)	(10.6)	(15.8)	(14.4)	(10.7)	(7.5)	(0.3)	(7.0)	(4.2)	(2.7)	(3.3)	(1.6)	(0.9)	(0.8)	(1.2)	(100.0)				
10年～	149	216	181	321	281	245	169	8	140	110	67	95	34	26	31	42	2,115	70	2,185	124.16	135.45
(%)	(7.0)	(10.2)	(8.6)	(15.2)	(13.3)	(11.6)	(8.0)	(0.4)	(6.6)	(5.2)	(3.2)	(4.5)	(1.6)	(1.2)	(1.5)	(2.0)	(100.0)				
15年～	104	125	109	189	162	129	98	5	71	61	42	46	26	12	21	31	1,231	33	1,264	127.04	150.29
(%)	(8.4)	(10.2)	(8.9)	(15.4)	(13.2)	(10.5)	(8.0)	(0.4)	(5.8)	(5.0)	(3.4)	(3.7)	(2.1)	(1.0)	(1.7)	(2.5)	(100.0)				
20年～	72	63	49	105	89	67	45	1	39	26	20	25	10	3	8	13	635	19	654	114.80	127.09
(%)	(11.3)	(9.9)	(7.7)	(16.5)	(14.0)	(10.6)	(7.1)	(0.2)	(6.1)	(4.1)	(3.1)	(3.9)	(1.6)	(0.5)	(1.3)	(2.0)	(100.0)				
25年～	55	41	42	56	53	37	18		17	11	8	10	2	3	3	9	365	9	374	106.28	157.56
(%)	(15.1)	(11.2)	(11.5)	(15.3)	(14.5)	(10.1)	(4.9)		(4.7)	(3.0)	(2.2)	(2.7)	(0.5)	(0.8)	(0.8)	(2.5)	(100.0)				
30年～	22	33	27	25	21	17	21	1	7	11	6	3	2	3	2	2	203	1	204	97.80	99.66
(%)	(10.8)	(16.3)	(13.3)	(12.3)	(10.3)	(8.4)	(10.3)	(0.5)	(3.4)	(5.4)	(3.0)	(1.5)	(1.0)	(1.5)	(1.0)	(1.0)	(100.0)				
35年～	29	12	7	14	12	5	5		7	5	3	5	1	1	1	1	108	3	111	95.46	120.51
(%)	(26.9)	(11.1)	(6.5)	(13.0)	(11.1)	(4.6)	(4.6)		(6.5)	(4.6)	(2.8)	(4.6)	(0.9)	(0.9)	(0.9)	(0.9)	(100.0)				
40年～	13	3	3	6	1	2	1	1	2	2		1					35		35	65.68	69.23
(%)	(37.1)	(8.6)	(8.6)	(17.1)	(2.9)	(5.7)	(2.9)	(2.9)	(5.7)	(5.7)		(2.9)					(100.0)				
合計	1,459	1,804	1,631	2,523	2,223	1,754	1,231	41	1,006	678	452	544	212	147	155	202	16,062	576	16,638	108.45	112.79
(%)	(9.1)	(11.2)	(10.2)	(15.7)	(13.8)	(10.9)	(7.7)	(0.3)	(6.3)	(4.2)	(2.8)	(3.4)	(1.3)	(0.9)	(1.0)	(1.3)	(100.0)				
不明	1	1		1	1							1					5		5	93.26	108.75
(%)	(20.0)	(20.0)		(20.0)	(20.0)							(20.0)					(100.0)				
記載なし																					
(%)																					
総計	1,460	1,805	1,631	2,524	2,224	1,754	1,231	41	1,006	678	452	545	212	147	155	202	16,067	576	16,643	108.45	112.79
(%)	(9.1)	(11.2)	(10.2)	(15.7)	(13.8)	(10.9)	(7.7)	(0.3)	(6.3)	(4.2)	(2.8)	(3.4)	(1.3)	(0.9)	(1.0)	(1.3)	(100.0)				
平均	8.43	7.44	7.32	7.51	7.33	7.27	7.25	9.37	7.33	8.03	7.81	7.86	8.27	7.53	9.09	10.10	7.59	6.20	7.54		
標準偏差	9.23	7.70	7.45	7.39	7.25	7.11	7.33	8.72	7.18	7.85	7.61	7.46	7.07	7.51	7.77	7.94	7.60	6.56	7.57		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査