

表 3118 総コレステロール濃度(mg/dL) 年齢(歳)別 (透析患者全体)

年齢	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
15歳未満	1	3	6	7	7	11	10	7	5	11	68	35	103	207.09	64.77
(%)	(1.5)	(4.4)	(8.8)	(10.3)	(10.3)	(16.2)	(14.7)	(10.3)	(7.4)	(16.2)	(100.0)				
15歳～	22	65	148	162	119	81	33	14	12	6	662	308	970	155.31	35.56
(%)	(3.3)	(9.8)	(22.4)	(24.5)	(18.0)	(12.2)	(5.0)	(2.1)	(1.8)	(0.9)	(100.0)				
30歳～	246	811	1,730	2,446	2,175	1,426	749	356	145	116	10,200	3,656	13,856	161.47	35.90
(%)	(2.4)	(8.0)	(17.0)	(24.0)	(21.3)	(14.0)	(7.3)	(3.5)	(1.4)	(1.1)	(100.0)				
45歳～	1,133	3,455	7,017	9,229	8,591	6,091	3,405	1,659	699	464	41,743	14,598	56,341	162.28	36.87
(%)	(2.7)	(8.3)	(16.8)	(22.1)	(20.6)	(14.6)	(8.2)	(4.0)	(1.7)	(1.1)	(100.0)				
60歳～	3,778	10,953	20,482	24,252	20,267	13,293	6,980	3,263	1,298	845	105,411	36,223	141,634	156.83	36.03
(%)	(3.6)	(10.4)	(19.4)	(23.0)	(19.2)	(12.6)	(6.6)	(3.1)	(1.2)	(0.8)	(100.0)				
75歳～	3,046	8,777	15,264	16,598	12,632	7,425	3,609	1,491	620	393	69,855	24,893	94,748	151.63	34.45
(%)	(4.4)	(12.6)	(21.9)	(23.8)	(18.1)	(10.6)	(5.2)	(2.1)	(0.9)	(0.6)	(100.0)				
90歳～	183	522	884	972	724	423	174	80	42	25	4,029	1,531	5,560	150.77	34.15
(%)	(4.5)	(13.0)	(21.9)	(24.1)	(18.0)	(10.5)	(4.3)	(2.0)	(1.0)	(0.6)	(100.0)				
合計	8,409	24,586	45,531	53,666	44,515	28,750	14,960	6,870	2,821	1,860	231,968	81,244	313,212	156.35	35.90
(%)	(3.6)	(10.6)	(19.6)	(23.1)	(19.2)	(12.4)	(6.4)	(3.0)	(1.2)	(0.8)	(100.0)				
不明				1							1	3	4	143.00	
(%)				(100.0)							(100.0)				
記載なし												1	1		
(%)															
総計	8,409	24,586	45,531	53,667	44,515	28,750	14,960	6,870	2,821	1,860	231,969	81,248	313,217	156.35	35.90
(%)	(3.6)	(10.6)	(19.6)	(23.1)	(19.2)	(12.4)	(6.4)	(3.0)	(1.2)	(0.8)	(100.0)				
平均	70.03	69.69	68.95	68.08	67.26	66.45	65.89	65.18	65.16	64.45	67.84	67.91	67.86		
標準偏差	11.80	12.03	12.26	12.50	12.49	12.49	12.34	12.31	12.69	13.35	12.44	12.65	12.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査