

表 3165 HDL-C濃度(mg/dL) 年齢(歳)別 (透析患者全体)

年齢	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
15歳未満	1	2	1	2	7	2	1				16	87	103	48.19	17.52
(%)	(6.3)	(12.5)	(6.3)	(12.5)	(43.8)	(12.5)	(6.3)				(100.0)				
15歳～		26	129	170	125	92	50	21	10	7	630	340	970	51.66	16.20
(%)		(4.1)	(20.5)	(27.0)	(19.8)	(14.6)	(7.9)	(3.3)	(1.6)	(1.1)	(100.0)				
30歳～	28	732	2,212	2,288	1,871	1,262	675	341	138	152	9,699	4,157	13,856	50.48	17.93
(%)	(0.3)	(7.5)	(22.8)	(23.6)	(19.3)	(13.0)	(7.0)	(3.5)	(1.4)	(1.6)	(100.0)				
45歳～	121	3,191	8,833	9,592	7,360	4,917	2,791	1,441	677	630	39,553	16,788	56,341	50.48	18.17
(%)	(0.3)	(8.1)	(22.3)	(24.3)	(18.6)	(12.4)	(7.1)	(3.6)	(1.7)	(1.6)	(100.0)				
60歳～	399	7,788	22,628	25,601	19,587	11,627	5,856	2,742	1,315	1,105	98,648	42,986	141,634	49.19	16.88
(%)	(0.4)	(7.9)	(22.9)	(26.0)	(19.9)	(11.8)	(5.9)	(2.8)	(1.3)	(1.1)	(100.0)				
75歳～	295	5,148	15,928	18,343	12,838	6,683	3,059	1,258	487	475	64,514	30,234	94,748	47.48	15.48
(%)	(0.5)	(8.0)	(24.7)	(28.4)	(19.9)	(10.4)	(4.7)	(1.9)	(0.8)	(0.7)	(100.0)				
90歳～	27	211	846	1,104	788	357	147	85	29	24	3,618	1,942	5,560	47.96	15.14
(%)	(0.7)	(5.8)	(23.4)	(30.5)	(21.8)	(9.9)	(4.1)	(2.3)	(0.8)	(0.7)	(100.0)				
合計	871	17,098	50,577	57,100	42,576	24,940	12,579	5,888	2,656	2,393	216,678	96,534	313,212	48.96	16.78
(%)	(0.4)	(7.9)	(23.3)	(26.4)	(19.6)	(11.5)	(5.8)	(2.7)	(1.2)	(1.1)	(100.0)				
不明				1							1	3	4	43.00	
(%)				(100.0)							(100.0)				
記載なし												1	1		
(%)															
総計	871	17,098	50,577	57,101	42,576	24,940	12,579	5,888	2,656	2,393	216,679	96,538	313,217	48.96	16.78
(%)	(0.4)	(7.9)	(23.3)	(26.4)	(19.6)	(11.5)	(5.8)	(2.7)	(1.2)	(1.1)	(100.0)				
平均	69.77	67.64	68.10	68.51	68.02	66.83	65.87	65.06	64.51	64.24	67.72	68.18	67.86		
標準偏差	11.94	12.19	12.36	12.34	12.38	12.57	12.49	12.43	12.01	12.37	12.42	12.66	12.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査