

表 3178 HDL-C濃度(mg/dL) 医療機関別（施設血液透析患者 透析回数週3回）

医療機関	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
国公立大学	13	29	58	38	26	9	9	5		1	188	220	408	41.38	16.92
(%)	(6.9)	(15.4)	(30.9)	(20.2)	(13.8)	(4.8)	(4.8)	(2.7)		(0.5)	(100.0)				
私立大学	15	79	201	238	167	111	71	34	12	11	939	557	1,496	49.56	18.61
(%)	(1.6)	(8.4)	(21.4)	(25.3)	(17.8)	(11.8)	(7.6)	(3.6)	(1.3)	(1.2)	(100.0)				
国立	3	18	54	61	52	24	12	9	2	3	238	277	515	48.61	16.68
(%)	(1.3)	(7.6)	(22.7)	(25.6)	(21.8)	(10.1)	(5.0)	(3.8)	(0.8)	(1.3)	(100.0)				
県市町村立	50	730	2,222	2,510	1,885	1,114	500	226	94	83	9,414	3,556	12,970	48.46	16.24
(%)	(0.5)	(7.8)	(23.6)	(26.7)	(20.0)	(11.8)	(5.3)	(2.4)	(1.0)	(0.9)	(100.0)				
社会保険	4	146	416	446	376	200	96	43	25	11	1,763	912	2,675	48.57	15.95
(%)	(0.2)	(8.3)	(23.6)	(25.3)	(21.3)	(11.3)	(5.4)	(2.4)	(1.4)	(0.6)	(100.0)				
厚生連	19	421	1,191	1,477	1,038	611	304	131	62	39	5,293	1,130	6,423	48.62	16.00
(%)	(0.4)	(8.0)	(22.5)	(27.9)	(19.6)	(11.5)	(5.7)	(2.5)	(1.2)	(0.7)	(100.0)				
その他公的	26	365	1,119	1,260	983	592	275	148	49	33	4,850	2,066	6,916	48.91	16.28
(%)	(0.5)	(7.5)	(23.1)	(26.0)	(20.3)	(12.2)	(5.7)	(3.1)	(1.0)	(0.7)	(100.0)				
私立総合	14	298	837	966	758	434	195	89	57	50	3,698	1,091	4,789	49.25	17.23
(%)	(0.4)	(8.1)	(22.6)	(26.1)	(20.5)	(11.7)	(5.3)	(2.4)	(1.5)	(1.4)	(100.0)				
私立	296	4,255	11,708	12,656	8,820	4,897	2,366	1,094	485	446	47,023	19,574	66,597	47.60	16.44
(%)	(0.6)	(9.0)	(24.9)	(26.9)	(18.8)	(10.4)	(5.0)	(2.3)	(1.0)	(0.9)	(100.0)				
私立診療所	259	7,428	21,859	24,306	17,916	10,411	5,226	2,434	1,083	1,078	92,000	29,063	121,063	48.82	16.77
(%)	(0.3)	(8.1)	(23.8)	(26.4)	(19.5)	(11.3)	(5.7)	(2.6)	(1.2)	(1.2)	(100.0)				
総計	699	13,769	39,665	43,958	32,021	18,403	9,054	4,213	1,869	1,755	165,406	58,446	223,852	48.45	16.63
(%)	(0.4)	(8.3)	(24.0)	(26.6)	(19.4)	(11.1)	(5.5)	(2.5)	(1.1)	(1.1)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査