

表 3195 HDL-C濃度(mg/dL) 年齢(歳)別 (腹膜透析患者)

年齢	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
15歳未満	1	1		1	3	1	1				8	81	89	49.00	22.48
(%)	(12.5)	(12.5)		(12.5)	(37.5)	(12.5)	(12.5)				(100.0)				
15歳～		3	6	7	10	7	3				36	65	101	50.28	13.21
(%)		(8.3)	(16.7)	(19.4)	(27.8)	(19.4)	(8.3)				(100.0)				
30歳～		19	66	79	60	41	19	16	6	8	314	346	660	52.17	19.45
(%)		(6.1)	(21.0)	(25.2)	(19.1)	(13.1)	(6.1)	(5.1)	(1.9)	(2.5)	(100.0)				
45歳～	4	101	268	263	212	173	102	47	16	15	1,201	1,119	2,320	50.78	17.63
(%)	(0.3)	(8.4)	(22.3)	(21.9)	(17.7)	(14.4)	(8.5)	(3.9)	(1.3)	(1.2)	(100.0)				
60歳～	6	145	449	510	367	219	103	51	29	19	1,898	1,925	3,823	49.03	17.19
(%)	(0.3)	(7.6)	(23.7)	(26.9)	(19.3)	(11.5)	(5.4)	(2.7)	(1.5)	(1.0)	(100.0)				
75歳～	6	45	176	210	162	94	44	14	2	6	759	890	1,649	48.62	15.23
(%)	(0.8)	(5.9)	(23.2)	(27.7)	(21.3)	(12.4)	(5.8)	(1.8)	(0.3)	(0.8)	(100.0)				
90歳～	1	1	15	19	9	6	2	2	1	1	57	70	127	48.56	17.92
(%)	(1.8)	(1.8)	(26.3)	(33.3)	(15.8)	(10.5)	(3.5)	(3.5)	(1.8)	(1.8)	(100.0)				
合計	18	315	980	1,089	823	541	274	130	54	49	4,273	4,496	8,769	49.69	17.18
(%)	(0.4)	(7.4)	(22.9)	(25.5)	(19.3)	(12.7)	(6.4)	(3.0)	(1.3)	(1.1)	(100.0)				
不明															
(%)															
記載なし															
(%)															
総計	18	315	980	1,089	823	541	274	130	54	49	4,273	4,496	8,769	49.69	17.18
(%)	(0.4)	(7.4)	(22.9)	(25.5)	(19.3)	(12.7)	(6.4)	(3.0)	(1.3)	(1.1)	(100.0)				
平均	67.39	61.98	63.53	64.21	63.51	61.99	60.97	59.93	60.46	59.47	63.05	62.57	62.80		
標準偏差	20.93	12.50	12.72	12.98	13.64	13.95	13.61	13.09	11.28	13.64	13.26	15.72	14.58		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査