

表 3211 Non-HDL-C濃度(mg/dL) 医療機関別（透析患者全体）

医療機関	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
国公立大学	8	23	46	84	95	57	37	20	17	12	399	809	1,208	122.13	40.51
(%)	(2.0)	(5.8)	(11.5)	(21.1)	(23.8)	(14.3)	(9.3)	(5.0)	(4.3)	(3.0)	(100.0)				
私立大学	32	103	227	298	276	189	97	50	22	16	1,310	2,254	3,564	112.29	37.12
(%)	(2.4)	(7.9)	(17.3)	(22.7)	(21.1)	(14.4)	(7.4)	(3.8)	(1.7)	(1.2)	(100.0)				
国立	10	29	49	68	61	39	22	10	5	1	294	630	924	109.21	35.01
(%)	(3.4)	(9.9)	(16.7)	(23.1)	(20.7)	(13.3)	(7.5)	(3.4)	(1.7)	(0.3)	(100.0)				
県市町村立	227	1,230	2,413	2,713	1,902	1,158	638	265	110	80	10,736	8,782	19,518	104.54	33.82
(%)	(2.1)	(11.5)	(22.5)	(25.3)	(17.7)	(10.8)	(5.9)	(2.5)	(1.0)	(0.7)	(100.0)				
社会保険	46	175	468	492	404	261	137	88	27	16	2,114	1,785	3,899	108.68	35.10
(%)	(2.2)	(8.3)	(22.1)	(23.3)	(19.1)	(12.3)	(6.5)	(4.2)	(1.3)	(0.8)	(100.0)				
厚生連	127	573	1,230	1,491	1,243	726	356	181	75	56	6,058	2,943	9,001	107.63	34.48
(%)	(2.1)	(9.5)	(20.3)	(24.6)	(20.5)	(12.0)	(5.9)	(3.0)	(1.2)	(0.9)	(100.0)				
その他公的	116	499	1,178	1,401	1,125	718	364	175	50	43	5,669	5,255	10,924	107.85	33.97
(%)	(2.0)	(8.8)	(20.8)	(24.7)	(19.8)	(12.7)	(6.4)	(3.1)	(0.9)	(0.8)	(100.0)				
私立総合	125	487	1,023	1,200	869	545	288	110	65	24	4,736	2,712	7,448	105.18	33.72
(%)	(2.6)	(10.3)	(21.6)	(25.3)	(18.3)	(11.5)	(6.1)	(2.3)	(1.4)	(0.5)	(100.0)				
私立	1,271	5,297	11,281	13,299	10,497	6,422	3,360	1,450	634	411	53,922	36,143	90,065	106.65	34.32
(%)	(2.4)	(9.8)	(20.9)	(24.7)	(19.5)	(11.9)	(6.2)	(2.7)	(1.2)	(0.8)	(100.0)				
私立診療所	1,587	9,036	21,293	25,986	21,740	13,211	6,573	2,775	1,041	607	103,849	62,817	166,666	107.98	32.63
(%)	(1.5)	(8.7)	(20.5)	(25.0)	(20.9)	(12.7)	(6.3)	(2.7)	(1.0)	(0.6)	(100.0)				
総計	3,549	17,452	39,208	47,032	38,212	23,326	11,872	5,124	2,046	1,266	189,087	124,130	313,217	107.39	33.42
(%)	(1.9)	(9.2)	(20.7)	(24.9)	(20.2)	(12.3)	(6.3)	(2.7)	(1.1)	(0.7)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査