

表 3227 Non-HDL-C濃度(mg/dL) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

透析歴	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
2年未満	52	358	857	1,076	815	526	266	110	51	39	4,150	2,255	6,405	108.65	33.89
(%)	(1.3)	(8.6)	(20.7)	(25.9)	(19.6)	(12.7)	(6.4)	(2.7)	(1.2)	(0.9)	(100.0)				
2年～	139	720	1,548	1,835	1,502	934	484	211	70	31	7,474	3,595	11,069	107.14	32.93
(%)	(1.9)	(9.6)	(20.7)	(24.6)	(20.1)	(12.5)	(6.5)	(2.8)	(0.9)	(0.4)	(100.0)				
5年～	154	782	1,746	2,103	1,759	1,005	544	228	89	40	8,450	4,324	12,774	107.07	32.86
(%)	(1.8)	(9.3)	(20.7)	(24.9)	(20.8)	(11.9)	(6.4)	(2.7)	(1.1)	(0.5)	(100.0)				
10年～	98	422	1,000	1,352	1,065	629	330	161	67	22	5,146	2,417	7,563	108.40	32.79
(%)	(1.9)	(8.2)	(19.4)	(26.3)	(20.7)	(12.2)	(6.4)	(3.1)	(1.3)	(0.4)	(100.0)				
15年～	43	256	625	802	694	453	249	95	46	17	3,280	1,416	4,696	110.62	32.98
(%)	(1.3)	(7.8)	(19.1)	(24.5)	(21.2)	(13.8)	(7.6)	(2.9)	(1.4)	(0.5)	(100.0)				
20年～	18	153	427	517	474	291	158	58	20	10	2,126	932	3,058	110.27	31.79
(%)	(0.8)	(7.2)	(20.1)	(24.3)	(22.3)	(13.7)	(7.4)	(2.7)	(0.9)	(0.5)	(100.0)				
25年～	17	80	269	329	324	189	91	35	11	5	1,350	580	1,930	110.08	30.94
(%)	(1.3)	(5.9)	(19.9)	(24.4)	(24.0)	(14.0)	(6.7)	(2.6)	(0.8)	(0.4)	(100.0)				
30年～	11	57	170	182	180	127	53	21	5	2	808	389	1,197	109.45	31.62
(%)	(1.4)	(7.1)	(21.0)	(22.5)	(22.3)	(15.7)	(6.6)	(2.6)	(0.6)	(0.2)	(100.0)				
35年～	3	44	99	105	96	45	30	5	2	1	430	208	638	104.67	29.79
(%)	(0.7)	(10.2)	(23.0)	(24.4)	(22.3)	(10.5)	(7.0)	(1.2)	(0.5)	(0.2)	(100.0)				
40年～	3	14	30	29	25	17	11	3			132	65	197	105.52	31.81
(%)	(2.3)	(10.6)	(22.7)	(22.0)	(18.9)	(12.9)	(8.3)	(2.3)			(100.0)				
合計	538	2,886	6,771	8,330	6,934	4,216	2,216	927	361	167	33,346	16,181	49,527	108.18	32.82
(%)	(1.6)	(8.7)	(20.3)	(25.0)	(20.8)	(12.6)	(6.6)	(2.8)	(1.1)	(0.5)	(100.0)				
不明			3		2	1					6	48	54	101.33	27.03
(%)			(50.0)		(33.3)	(16.7)					(100.0)				
記載なし															
(%)															
総計	538	2,886	6,774	8,330	6,936	4,217	2,216	927	361	167	33,352	16,229	49,581	108.18	32.81
(%)	(1.6)	(8.7)	(20.3)	(25.0)	(20.8)	(12.6)	(6.6)	(2.8)	(1.1)	(0.5)	(100.0)				
平均	8.83	9.17	9.76	9.69	10.15	10.15	10.16	9.63	9.32	8.16	9.82	9.40	9.68		
標準偏差	7.84	8.44	8.85	8.59	8.89	8.93	8.91	8.24	7.68	7.98	8.73	8.65	8.71		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査