

表 3280 透析前拡張期血圧(mmHg) 併用の状況別（透析患者全体）

併用の状況	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
HD(F)単独	95	875	22,745	122,391	65,631	36,228	18,178	1,199	83	267,425	36,738	304,163	77.96	14.55
(%)	(0.0)	(0.3)	(8.5)	(45.8)	(24.5)	(13.5)	(6.8)	(0.4)	(0.0)	(100.0)				
PD単独	3	5	307	1,726	1,000	600	290	22	1	3,954	3,150	7,104	78.65	14.81
(%)	(0.1)	(0.1)	(7.8)	(43.7)	(25.3)	(15.2)	(7.3)	(0.6)	(0.0)	(100.0)				
HD(F)単独.PDカテあり			12	69	43	20	12	1		157	25	182	79.25	15.04
(%)			(7.6)	(43.9)	(27.4)	(12.7)	(7.6)	(0.6)		(100.0)				
PD.HD併用週1 HD(F)			66	450	330	204	119	4		1,173	297	1,470	81.29	14.02
(%)			(5.6)	(38.4)	(28.1)	(17.4)	(10.1)	(0.3)		(100.0)				
PD.HD併用週2 HD(F)		1	8	50	48	19	12	1		139	33	172	80.93	14.35
(%)		(0.7)	(5.8)	(36.0)	(34.5)	(13.7)	(8.6)	(0.7)		(100.0)				
PD.HD併用週3 HD(F)				11	3	5	5			24	5	29	82.75	16.07
(%)				(45.8)	(12.5)	(20.8)	(20.8)			(100.0)				
PD.HD併用週4 HD(F)														
(%)														
PD.HD併用その他		1	2	35	16	4	3			61	10	71	76.69	13.22
(%)		(1.6)	(3.3)	(57.4)	(26.2)	(6.6)	(4.9)			(100.0)				
合計	98	882	23,140	124,732	67,071	37,080	18,619	1,227	84	272,933	40,258	313,191	77.99	14.56
(%)	(0.0)	(0.3)	(8.5)	(45.7)	(24.6)	(13.6)	(6.8)	(0.4)	(0.0)	(100.0)				
不明			1	8	3					12	13	25	74.25	9.78
(%)			(8.3)	(66.7)	(25.0)					(100.0)				
記載なし											1	1		
(%)														
総計	98	882	23,141	124,740	67,074	37,080	18,619	1,227	84	272,945	40,272	313,217	77.99	14.56
(%)	(0.0)	(0.3)	(8.5)	(45.7)	(24.6)	(13.6)	(6.8)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査