

表 3285 透析前拡張期血圧(mmHg) 医療機関別（透析患者全体）

医療機関	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
国公立大学		10	96	348	157	99	59	4		773	435	1,208	76.13	16.30
(%)		(1.3)	(12.4)	(45.0)	(20.3)	(12.8)	(7.6)	(0.5)		(100.0)				
私立大学	1	13	221	1,013	625	377	184	13	1	2,448	1,116	3,564	78.73	15.05
(%)	(0.0)	(0.5)	(9.0)	(41.4)	(25.5)	(15.4)	(7.5)	(0.5)	(0.0)	(100.0)				
国立		2	73	289	148	77	41	6		636	288	924	77.04	15.10
(%)		(0.3)	(11.5)	(45.4)	(23.3)	(12.1)	(6.4)	(0.9)		(100.0)				
県市町村立	4	49	1,409	7,194	3,985	2,202	1,027	75	3	15,948	3,570	19,518	77.97	14.49
(%)	(0.0)	(0.3)	(8.8)	(45.1)	(25.0)	(13.8)	(6.4)	(0.5)	(0.0)	(100.0)				
社会保険		6	285	1,445	873	501	227	13	1	3,351	548	3,899	78.71	14.41
(%)		(0.2)	(8.5)	(43.1)	(26.1)	(15.0)	(6.8)	(0.4)	(0.0)	(100.0)				
厚生連	2	17	709	3,484	1,980	1,117	620	57	4	7,990	1,011	9,001	78.68	14.96
(%)	(0.0)	(0.2)	(8.9)	(43.6)	(24.8)	(14.0)	(7.8)	(0.7)	(0.1)	(100.0)				
その他公的	5	37	799	3,738	2,101	1,211	633	34	1	8,559	2,365	10,924	78.00	14.94
(%)	(0.1)	(0.4)	(9.3)	(43.7)	(24.5)	(14.1)	(7.4)	(0.4)	(0.0)	(100.0)				
私立総合	2	24	545	2,949	1,518	863	465	35	4	6,405	1,043	7,448	78.17	14.83
(%)	(0.0)	(0.4)	(8.5)	(46.0)	(23.7)	(13.5)	(7.3)	(0.5)	(0.1)	(100.0)				
私立	25	374	7,663	36,715	18,679	10,046	4,903	317	28	78,750	11,315	90,065	77.10	14.71
(%)	(0.0)	(0.5)	(9.7)	(46.6)	(23.7)	(12.8)	(6.2)	(0.4)	(0.0)	(100.0)				
私立診療所	59	350	11,341	67,565	37,008	20,587	10,460	673	42	148,085	18,581	166,666	78.40	14.38
(%)	(0.0)	(0.2)	(7.7)	(45.6)	(25.0)	(13.9)	(7.1)	(0.5)	(0.0)	(100.0)				
総計	98	882	23,141	124,740	67,074	37,080	18,619	1,227	84	272,945	40,272	313,217	77.99	14.56
(%)	(0.0)	(0.3)	(8.5)	(45.7)	(24.6)	(13.6)	(6.8)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査