

表 3306 拡張期血圧(mmHg) 医療機関別（腹膜透析患者）

医療機関	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
国公立大学		1	30	123	76	53	26			309	354	663	78.89	15.02
(%)		(0.3)	(9.7)	(39.8)	(24.6)	(17.2)	(8.4)			(100.0)				
私立大学			30	244	156	113	62	5	1	611	495	1,106	81.61	14.69
(%)			(4.9)	(39.9)	(25.5)	(18.5)	(10.1)	(0.8)	(0.2)	(100.0)				
国立			15	52	28	16	8	1		120	102	222	76.94	16.10
(%)			(12.5)	(43.3)	(23.3)	(13.3)	(6.7)	(0.8)		(100.0)				
県市町村立	1		90	425	263	144	63	4		990	583	1,573	78.20	14.39
(%)	(0.1)		(9.1)	(42.9)	(26.6)	(14.5)	(6.4)	(0.4)		(100.0)				
社会保険			6	70	55	32	13			176	346	522	80.81	13.22
(%)			(3.4)	(39.8)	(31.3)	(18.2)	(7.4)			(100.0)				
厚生連			29	191	116	54	26	1		417	143	560	78.00	13.61
(%)			(7.0)	(45.8)	(27.8)	(12.9)	(6.2)	(0.2)		(100.0)				
その他公的		2	69	353	229	129	80	2		864	495	1,359	79.44	14.85
(%)		(0.2)	(8.0)	(40.9)	(26.5)	(14.9)	(9.3)	(0.2)		(100.0)				
私立総合			13	126	78	46	19			282	81	363	78.81	13.44
(%)			(4.6)	(44.7)	(27.7)	(16.3)	(6.7)			(100.0)				
私立	2	3	69	454	232	140	80	8		988	711	1,699	78.70	15.25
(%)	(0.2)	(0.3)	(7.0)	(46.0)	(23.5)	(14.2)	(8.1)	(0.8)		(100.0)				
私立診療所			29	209	145	93	41	5		522	180	702	80.58	14.23
(%)			(5.6)	(40.0)	(27.8)	(17.8)	(7.9)	(1.0)		(100.0)				
総計	3	6	380	2,247	1,378	820	418	26	1	5,279	3,490	8,769	79.24	14.62
(%)	(0.1)	(0.1)	(7.2)	(42.6)	(26.1)	(15.5)	(7.9)	(0.5)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査