

表 3310 透析前脈拍(拍/分) 治療方法(新分類)別(透析患者全体)

治療方法 (新分類)	40未満	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
施設血液透析	172	2,351	18,743	56,893	66,714	41,850	17,658	5,439	1,283	511	211,614	37,111	248,725	74.26	12.70
(%)	(0.1)	(1.1)	(8.9)	(26.9)	(31.5)	(19.8)	(8.3)	(2.6)	(0.6)	(0.2)	(100.0)				
Off-line HDF	3	42	383	1,114	1,388	958	423	138	40	16	4,505	827	5,332	75.32	13.05
(%)	(0.1)	(0.9)	(8.5)	(24.7)	(30.8)	(21.3)	(9.4)	(3.1)	(0.9)	(0.4)	(100.0)				
On-line HDF	24	352	3,026	9,825	12,236	8,278	3,579	1,077	282	120	38,799	5,728	44,527	75.27	12.73
(%)	(0.1)	(0.9)	(7.8)	(25.3)	(31.5)	(21.3)	(9.2)	(2.8)	(0.7)	(0.3)	(100.0)				
Push/Pull HDF			6	22	24	21	14	2	1	1	91	19	110	77.53	13.26
(%)			(6.6)	(24.2)	(26.4)	(23.1)	(15.4)	(2.2)	(1.1)	(1.1)	(100.0)				
ハイオフィльтраーション		3	14	59	64	48	31	14	3	2	238	29	267	77.53	14.17
(%)		(1.3)	(5.9)	(24.8)	(26.9)	(20.2)	(13.0)	(5.9)	(1.3)	(0.8)	(100.0)				
IHDF	5	35	295	892	1,030	674	272	67	18	7	3,295	245	3,540	74.13	12.45
(%)	(0.2)	(1.1)	(9.0)	(27.1)	(31.3)	(20.5)	(8.3)	(2.0)	(0.5)	(0.2)	(100.0)				
血液濾過				3	5	2	1				11	5	16	74.64	10.82
(%)				(27.3)	(45.5)	(18.2)	(9.1)				(100.0)				
血液吸着透析 (リクセル等使用)	2	10	94	345	382	226	110	40	7	3	1,219	157	1,376	74.54	12.86
(%)	(0.2)	(0.8)	(7.7)	(28.3)	(31.3)	(18.5)	(9.0)	(3.3)	(0.6)	(0.2)	(100.0)				
在宅血液透析		1	12	63	96	76	41	27	4	1	321	234	555	79.23	13.45
(%)		(0.3)	(3.7)	(19.6)	(29.9)	(23.7)	(12.8)	(8.4)	(1.2)	(0.3)	(100.0)				
腹膜透析 (CAPD)		12	123	496	712	611	323	97	30	9	2,413	2,489	4,902	78.10	13.00
(%)		(0.5)	(5.1)	(20.6)	(29.5)	(25.3)	(13.4)	(4.0)	(1.2)	(0.4)	(100.0)				
腹膜透析 (APD)		7	65	248	408	346	180	66	13	15	1,348	1,427	2,775	78.96	13.38
(%)		(0.5)	(4.8)	(18.4)	(30.3)	(25.7)	(13.4)	(4.9)	(1.0)	(1.1)	(100.0)				
腹膜透析 (CCPD)		4	45	132	184	170	68	31	7	1	642	450	1,092	77.56	13.25
(%)		(0.6)	(7.0)	(20.6)	(28.7)	(26.5)	(10.6)	(4.8)	(1.1)	(0.2)	(100.0)				
合計	206	2,817	22,806	70,092	83,243	53,260	22,700	6,998	1,688	686	264,496	48,721	313,217	74.50	12.74
(%)	(0.1)	(1.1)	(8.6)	(26.5)	(31.5)	(20.1)	(8.6)	(2.6)	(0.6)	(0.3)	(100.0)				
記載なし															
(%)															
総計	206	2,817	22,806	70,092	83,243	53,260	22,700	6,998	1,688	686	264,496	48,721	313,217	74.50	12.74
(%)	(0.1)	(1.1)	(8.6)	(26.5)	(31.5)	(20.1)	(8.6)	(2.6)	(0.6)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2015年調査