

表 3358 PET施行の有無 原疾患別（腹膜透析患者）

原疾患	なし	PET施行	Fast PETのみ	合計	不明	記載なし	総計
慢性糸球体腎炎	505	847	451	1,803	36	991	2,830
(%)	(28.0)	(47.0)	(25.0)	(100.0)			
慢性腎盂腎炎	20	26	17	63	2	32	97
(%)	(31.7)	(41.3)	(27.0)	(100.0)			
急速進行性糸球体腎炎	11	21	9	41		25	66
(%)	(26.8)	(51.2)	(22.0)	(100.0)			
妊娠腎/妊娠中毒症	3	13	5	21		6	27
(%)	(14.3)	(61.9)	(23.8)	(100.0)			
その他の分類不能の腎炎	18	22	8	48	1	29	78
(%)	(37.5)	(45.8)	(16.7)	(100.0)			
多発性嚢胞腎	57	78	34	169	2	92	263
(%)	(33.7)	(46.2)	(20.1)	(100.0)			
腎硬化症	270	279	139	688	21	386	1,095
(%)	(39.2)	(40.6)	(20.2)	(100.0)			
悪性高血圧	24	29	12	65	1	41	107
(%)	(36.9)	(44.6)	(18.5)	(100.0)			
糖尿病性腎症	580	751	351	1,682	41	1,076	2,799
(%)	(34.5)	(44.6)	(20.9)	(100.0)			
SLE腎炎	9	13	4	26		20	46
(%)	(34.6)	(50.0)	(15.4)	(100.0)			
アミロイド腎	5	4	1	10		5	15
(%)	(50.0)	(40.0)	(10.0)	(100.0)			
痛風腎	8	11	5	24		8	32
(%)	(33.3)	(45.8)	(20.8)	(100.0)			
先天性代謝異常による腎不全	5	7	1	13	1	3	17
(%)	(38.5)	(53.8)	(7.7)	(100.0)			
腎・尿路結核			1	1		1	2
(%)			(100.0)	(100.0)			
腎・尿路結石	7	7	3	17		4	21
(%)	(41.2)	(41.2)	(17.6)	(100.0)			
腎・尿路腫瘍	4	4	2	10		4	14
(%)	(40.0)	(40.0)	(20.0)	(100.0)			
閉塞性尿路障害	6	7	2	15	1	5	21
(%)	(40.0)	(46.7)	(13.3)	(100.0)			
骨髄腫	1		2	3	1	3	7
(%)	(33.3)		(66.7)	(100.0)			
腎形成不全	13	23	8	44	1	27	72
(%)	(29.5)	(52.3)	(18.2)	(100.0)			
不明	200	206	98	504	10	328	842
(%)	(39.7)	(40.9)	(19.4)	(100.0)			
再導入	8	18	4	30	3	22	55
(%)	(26.7)	(60.0)	(13.3)	(100.0)			
その他	52	80	38	170	3	90	263
(%)	(30.6)	(47.1)	(22.4)	(100.0)			
合計	1,806	2,446	1,195	5,447	124	3,198	8,769
(%)	(33.2)	(44.9)	(21.9)	(100.0)			
記載なし							
(%)							
総計	1,806	2,446	1,195	5,447	124	3,198	8,769
(%)	(33.2)	(44.9)	(21.9)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査