

表 3364 PET施行の有無 原疾患別（腹膜透析単独患者）

原疾患	なし	PET施行	Fast PETのみ	合計	不明	記載なし	総計
慢性糸球体腎炎	400	664	309	1,373	25	748	2,146
(%)	(29.1)	(48.4)	(22.5)	(100.0)			
慢性腎盂腎炎	15	22	15	52	2	24	78
(%)	(28.8)	(42.3)	(28.8)	(100.0)			
急速進行性糸球体腎炎	10	16	7	33		22	55
(%)	(30.3)	(48.5)	(21.2)	(100.0)			
妊娠腎/妊娠中毒症	2	9	3	14		4	18
(%)	(14.3)	(64.3)	(21.4)	(100.0)			
その他の分類不能の腎炎	14	17	5	36		23	59
(%)	(38.9)	(47.2)	(13.9)	(100.0)			
多発性嚢胞腎	42	69	28	139	2	84	225
(%)	(30.2)	(49.6)	(20.1)	(100.0)			
腎硬化症	245	242	116	603	17	323	943
(%)	(40.6)	(40.1)	(19.2)	(100.0)			
悪性高血圧	21	22	11	54	1	32	87
(%)	(38.9)	(40.7)	(20.4)	(100.0)			
糖尿病性腎症	517	629	265	1,411	36	879	2,326
(%)	(36.6)	(44.6)	(18.8)	(100.0)			
SLE腎炎	8	11	4	23		17	40
(%)	(34.8)	(47.8)	(17.4)	(100.0)			
アミロイド腎	4	4	1	9		4	13
(%)	(44.4)	(44.4)	(11.1)	(100.0)			
痛風腎	4	11	3	18		5	23
(%)	(22.2)	(61.1)	(16.7)	(100.0)			
先天性代謝異常による腎不全	5	5	1	11	1	3	15
(%)	(45.5)	(45.5)	(9.1)	(100.0)			
腎・尿路結核			1	1		1	2
(%)			(100.0)	(100.0)			
腎・尿路結石	4	7	3	14		3	17
(%)	(28.6)	(50.0)	(21.4)	(100.0)			
腎・尿路腫瘍	3	2	2	7		3	10
(%)	(42.9)	(28.6)	(28.6)	(100.0)			
閉塞性尿路障害	6	7	2	15	1	3	19
(%)	(40.0)	(46.7)	(13.3)	(100.0)			
骨髄腫	1		2	3	1	3	7
(%)	(33.3)		(66.7)	(100.0)			
腎形成不全	12	22	6	40	1	26	67
(%)	(30.0)	(55.0)	(15.0)	(100.0)			
不明	179	171	76	426	9	247	682
(%)	(42.0)	(40.1)	(17.8)	(100.0)			
再導入	4	17	3	24	1	16	41
(%)	(16.7)	(70.8)	(12.5)	(100.0)			
その他	46	73	31	150	2	79	231
(%)	(30.7)	(48.7)	(20.7)	(100.0)			
合計	1,542	2,020	894	4,456	99	2,549	7,104
(%)	(34.6)	(45.3)	(20.1)	(100.0)			
記載なし							
(%)							
総計	1,542	2,020	894	4,456	99	2,549	7,104
(%)	(34.6)	(45.3)	(20.1)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査