

表 3518 2015年中の腹膜炎発症率(回/1患者・年) 原疾患別(腹膜透析患者)

原疾患	0	1.0～	2.0～	3.0～	4.0～	5.0～	合計	不明 記載なし	総計	平均	標準偏差
慢性糸球体腎炎	1,550	166	34	9	5	5	1,769	1,061	2,830	0.19	0.78
(%)	(87.6)	(9.4)	(1.9)	(0.5)	(0.3)	(0.3)	(100.0)				
慢性腎盂腎炎	62	8	1				71	26	97	0.16	0.43
(%)	(87.3)	(11.3)	(1.4)				(100.0)				
急速進行性糸球 体腎炎	32	4	5				41	25	66	0.36	0.73
(%)	(78.0)	(9.8)	(12.2)				(100.0)				
妊娠腎/妊娠中毒 症	16	4					20	7	27	0.20	0.41
(%)	(80.0)	(20.0)					(100.0)				
その他の分類不能 の腎炎	41	4	1				46	32	78	0.13	0.40
(%)	(89.1)	(8.7)	(2.2)				(100.0)				
多発性嚢胞腎	148	16	2			1	167	96	263	0.16	0.59
(%)	(88.6)	(9.6)	(1.2)			(0.6)	(100.0)				
腎硬化症	581	81	20	5		4	691	404	1,095	0.25	0.80
(%)	(84.1)	(11.7)	(2.9)	(0.7)		(0.6)	(100.0)				
悪性高血圧	58	3		2			63	44	107	0.14	0.56
(%)	(92.1)	(4.8)		(3.2)			(100.0)				
糖尿病性腎症	1,410	167	45	14	6	11	1,653	1,146	2,799	0.25	0.86
(%)	(85.3)	(10.1)	(2.7)	(0.8)	(0.4)	(0.7)	(100.0)				
SLE腎炎	17	4	1				22	24	46	0.27	0.55
(%)	(77.3)	(18.2)	(4.5)				(100.0)				
アミロイド腎	6					1	7	8	15	1.07	2.83
(%)	(85.7)					(14.3)	(100.0)				
痛風腎	17	6					23	9	32	0.26	0.45
(%)	(73.9)	(26.1)					(100.0)				
先天性代謝異常に よる腎不全	11	1	1				13	4	17	0.23	0.60
(%)	(84.6)	(7.7)	(7.7)				(100.0)				
腎・尿路結核	2						2		2		
(%)	(100.0)						(100.0)				
腎・尿路結石	16	1					17	4	21	0.06	0.24
(%)	(94.1)	(5.9)					(100.0)				
腎・尿路腫瘍	7	1					8	6	14	0.13	0.35
(%)	(87.5)	(12.5)					(100.0)				
閉塞性尿路障害	11	2		1			14	7	21	0.36	0.85
(%)	(78.6)	(14.3)		(7.1)			(100.0)				
骨髄腫	1	2	1				4	3	7	1.00	0.82
(%)	(25.0)	(50.0)	(25.0)				(100.0)				
腎形成不全	40	5	2	1			48	24	72	0.26	0.70
(%)	(83.3)	(10.4)	(4.2)	(2.1)			(100.0)				
不明	427	38	13	6	1	2	487	355	842	0.22	0.83
(%)	(87.7)	(7.8)	(2.7)	(1.2)	(0.2)	(0.4)	(100.0)				
再導入	25	2	2				29	26	55	0.21	0.56
(%)	(86.2)	(6.9)	(6.9)				(100.0)				
その他	142	18	4		1	1	166	97	263	0.24	0.79
(%)	(85.5)	(10.8)	(2.4)		(0.6)	(0.6)	(100.0)				
合計	4,620	533	132	38	13	25	5,361	3,408	8,769	0.22	0.80
(%)	(86.2)	(9.9)	(2.5)	(0.7)	(0.2)	(0.5)	(100.0)				
記載なし											
(%)											
総計	4,620	533	132	38	13	25	5,361	3,408	8,769	0.22	0.80
(%)	(86.2)	(9.9)	(2.5)	(0.7)	(0.2)	(0.5)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

*個々の患者の腹膜炎発症率(回/1患者・年)は、1.0未満の数値が0となるため、「0」と表示しています。

(C)Japanese Society for Dialysis Therapy

2015年調査