

表 3622 残腎Kt/V 年齢(歳)別(腹膜透析患者)

年齢	0.1未満	0.1～	0.4～	0.8～	1.2～	1.7～	2.0～	2.4～	合計	記載なし	総計	平均	標準偏差
15歳未満	15	4	4	2	1	1		2	29	60	89	0.49	0.85
(%)	(51.7)	(13.8)	(13.8)	(6.9)	(3.4)	(3.4)		(6.9)	(100.0)				
15歳～	10	6	4	2	3	1			26	75	101	0.40	0.51
(%)	(38.5)	(23.1)	(15.4)	(7.7)	(11.5)	(3.8)			(100.0)				
30歳～	37	24	28	29	17	2	3	4	144	516	660	0.64	0.70
(%)	(25.7)	(16.7)	(19.4)	(20.1)	(11.8)	(1.4)	(2.1)	(2.8)	(100.0)				
45歳～	161	121	130	82	40	14	13	8	569	1,751	2,320	0.53	0.59
(%)	(28.3)	(21.3)	(22.8)	(14.4)	(7.0)	(2.5)	(2.3)	(1.4)	(100.0)				
60歳～	193	206	222	156	90	38	13	10	928	2,895	3,823	0.60	0.64
(%)	(20.8)	(22.2)	(23.9)	(16.8)	(9.7)	(4.1)	(1.4)	(1.1)	(100.0)				
75歳～	62	70	95	65	51	8	8	2	361	1,288	1,649	0.64	0.56
(%)	(17.2)	(19.4)	(26.3)	(18.0)	(14.1)	(2.2)	(2.2)	(0.6)	(100.0)				
90歳～	1	3	5	4	1	3	1	1	19	108	127	0.95	0.70
(%)	(5.3)	(15.8)	(26.3)	(21.1)	(5.3)	(15.8)	(5.3)	(5.3)	(100.0)				
合計	479	434	488	340	203	67	38	27	2,076	6,693	8,769	0.59	0.62
(%)	(23.1)	(20.9)	(23.5)	(16.4)	(9.8)	(3.2)	(1.8)	(1.3)	(100.0)				
不明													
(%)													
記載なし													
(%)													
総計	479	434	488	340	203	67	38	27	2,076	6,693	8,769	0.59	0.62
(%)	(23.1)	(20.9)	(23.5)	(16.4)	(9.8)	(3.2)	(1.8)	(1.3)	(100.0)				
平均	58.53	62.14	63.60	63.17	64.29	64.85	64.03	55.67	62.07	63.03	62.80		
標準偏差	16.07	13.61	13.69	14.03	14.63	13.50	14.04	19.20	14.63	14.55	14.58		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査