

表 3838 出口部感染罹患回数(回/年) 現在施行中のPD歴(年)別(腹膜透析単独患者)

現在施行中のPD歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1年未満	963	155	30	9	4	3	1				1,165	1	160	1,326
(%)	(82.7)	(13.3)	(2.6)	(0.8)	(0.3)	(0.3)	(0.1)				(100.0)			
1年～	748	159	38	19	8	3	2	2			979	3	85	1,067
(%)	(76.4)	(16.2)	(3.9)	(1.9)	(0.8)	(0.3)	(0.2)	(0.2)			(100.0)			
2年～	943	146	42	25	12	5	3	1	2	2	1,181	4	84	1,269
(%)	(79.8)	(12.4)	(3.6)	(2.1)	(1.0)	(0.4)	(0.3)	(0.1)	(0.2)	(0.2)	(100.0)			
4年～	428	89	25	5	4	1			1		553	2	50	605
(%)	(77.4)	(16.1)	(4.5)	(0.9)	(0.7)	(0.2)			(0.2)		(100.0)			
6年～	172	30	9	3							214	1	21	236
(%)	(80.4)	(14.0)	(4.2)	(1.4)							(100.0)			
8年～	69	15	3		1						88		13	101
(%)	(78.4)	(17.0)	(3.4)		(1.1)						(100.0)			
10年～	82	7	2	2							93	2	13	108
(%)	(88.2)	(7.5)	(2.2)	(2.2)							(100.0)			
合計	3,405	601	149	63	29	12	6	3	3	2	4,273	13	426	4,712
(%)	(79.7)	(14.1)	(3.5)	(1.5)	(0.7)	(0.3)	(0.1)	(0.1)	(0.1)	(0.0)	(100.0)			
記載なし	41	2	2	1							46		2,346	2,392
(%)	(89.1)	(4.3)	(4.3)	(2.2)							(100.0)			
総計	3,446	603	151	64	29	12	6	3	3	2	4,319	13	2,772	7,104
(%)	(79.8)	(14.0)	(3.5)	(1.5)	(0.7)	(0.3)	(0.1)	(0.1)	(0.1)	(0.0)	(100.0)			
平均	2.69	2.64	2.80	2.70	2.58	1.94	1.88	1.39	3.86	3.42	2.68	4.21	2.50	2.67
標準偏差	2.68	2.49	2.23	2.21	1.95	1.18	1.07	0.67	1.63	0.59	2.62	3.01	2.83	2.65

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2015年調査