

表 3840 出口部感染罹患回数(回/年) 原疾患別 (腹膜透析単独患者)

原疾患	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
慢性糸球体腎炎	1,075	179	45	20	10	2	2				1,333	3	810	2,146
(%)	(80.6)	(13.4)	(3.4)	(1.5)	(0.8)	(0.2)	(0.2)				(100.0)			
慢性腎盂腎炎	46	10	4								60	1	17	78
(%)	(76.7)	(16.7)	(6.7)								(100.0)			
急速進行性糸球体腎炎	27	5									32		23	55
(%)	(84.4)	(15.6)									(100.0)			
妊娠腎/妊娠中毒症	9	2	2								13		5	18
(%)	(69.2)	(15.4)	(15.4)								(100.0)			
その他の分類不能の腎炎	23	5	3	2							33		26	59
(%)	(69.7)	(15.2)	(9.1)	(6.1)							(100.0)			
多発性嚢胞腎	102	27	4		1						134		91	225
(%)	(76.1)	(20.1)	(3.0)		(0.7)						(100.0)			
腎硬化症	486	77	21	6	4	2	1			1	598	1	344	943
(%)	(81.3)	(12.9)	(3.5)	(1.0)	(0.7)	(0.3)	(0.2)			(0.2)	(100.0)			
悪性高血圧	42	6		1							49		38	87
(%)	(85.7)	(12.2)		(2.0)							(100.0)			
糖尿病性腎症	1,063	191	55	24	12	5	2	2	2	1	1,357	6	963	2,326
(%)	(78.3)	(14.1)	(4.1)	(1.8)	(0.9)	(0.4)	(0.1)	(0.1)	(0.1)	(0.1)	(100.0)			
SLE腎炎	19	1									20		20	40
(%)	(95.0)	(5.0)									(100.0)			
アミロイド腎	4	2		1							7		6	13
(%)	(57.1)	(28.6)		(14.3)							(100.0)			
痛風腎	14	2		1							17		6	23
(%)	(82.4)	(11.8)		(5.9)							(100.0)			
先天性代謝異常による腎不全	9	3									12		3	15
(%)	(75.0)	(25.0)									(100.0)			
腎・尿路結核	2										2			2
(%)	(100.0)										(100.0)			
腎・尿路結石	11	3									14		3	17
(%)	(78.6)	(21.4)									(100.0)			
腎・尿路腫瘍	4	2									6		4	10
(%)	(66.7)	(33.3)									(100.0)			
閉塞性尿路障害	12		1				1				14		5	19
(%)	(85.7)		(7.1)				(7.1)				(100.0)			
骨髄腫	2	1									3		4	7
(%)	(66.7)	(33.3)									(100.0)			
腎形成不全	36	4	2	1		1					44		23	67
(%)	(81.8)	(9.1)	(4.5)	(2.3)		(2.3)					(100.0)			
不明	339	55	7	5				1			407	1	274	682
(%)	(83.3)	(13.5)	(1.7)	(1.2)				(0.2)			(100.0)			
再導入	18	1	1			1					21		20	41
(%)	(85.7)	(4.8)	(4.8)			(4.8)					(100.0)			
その他	103	27	6	3	2	1			1		143	1	87	231
(%)	(72.0)	(18.9)	(4.2)	(2.1)	(1.4)	(0.7)			(0.7)		(100.0)			
合計	3,446	603	151	64	29	12	6	3	3	2	4,319	13	2,772	7,104
(%)	(79.8)	(14.0)	(3.5)	(1.5)	(0.7)	(0.3)	(0.1)	(0.1)	(0.1)	(0.0)	(100.0)			
記載なし														
(%)														
総計	3,446	603	151	64	29	12	6	3	3	2	4,319	13	2,772	7,104
(%)	(79.8)	(14.0)	(3.5)	(1.5)	(0.7)	(0.3)	(0.1)	(0.1)	(0.1)	(0.0)	(100.0)			

数値下のかつこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2015年調査