

表 126 2016年導入患者、年齢、原疾患別(男性)

原疾患	5歳未満	5歳~	10歳~	15歳~	20歳~	25歳~	30歳~	35歳~	40歳~	45歳~	50歳~	55歳~	60歳~	65歳~	70歳~	75歳~	80歳~	85歳~	90歳~	95歳~	合計	不明	記載なし	総計	平均	標準偏差		
慢性系球体腎炎 (%)	1 (16.7)				5 (12.2)	23 (30.3)	35 (22.3)	77 (22.8)	125 (15.9)	150 (12.8)	196 (13.1)	231 (13.2)	364 (15.5)	602 (14.7)	571 (15.5)	616 (16.1)	592 (17.1)	320 (17.9)	87 (20.9)	8 (32.0)	4,007 (15.7)		4,007 (15.7)	69.24	13.68			
慢性腎孟腎炎 (%)					1 (7.1)	3 (7.3)	2 (2.6)	2 (0.6)	4 (0.5)	3 (0.3)	9 (0.6)	9 (0.5)	15 (0.6)	17 (0.4)	18 (0.5)	21 (0.5)	21 (0.6)	7 (0.4)	6 (1.4)	6 (0.5)			138 (0.5)	138 (0.5)	67.99	15.52		
急速進行性系球体腎炎 (%)					1 (2.4)	3 (3.9)		7 (0.9)		4 (0.3)	11 (0.6)	19 (0.8)	36 (1.1)	41 (0.9)	47 (1.1)	45 (1.2)	22 (1.3)	6 (1.2)	6 (1.4)	6 (0.9)			242 (0.9)	242 (0.9)	72.67	11.70		
妊娠腎/妊娠中毒症 (%)																												
その他の分類不能の腎炎 (%)	1 (25.0)				3 (21.4)	2 (4.9)	2 (2.6)	4 (2.5)	3 (0.9)	2 (0.9)	9 (0.6)	8 (0.5)	4 (0.2)	17 (0.4)	9 (0.2)	12 (0.3)	13 (0.4)	8 (0.4)	8 (0.4)	8 (0.4)	107 (0.4)		107 (0.4)	61.87	19.18			
多発性囊胞腎 (%)	1 (16.7)				2 (4.9)	1 (1.3)	4 (2.5)	12 (3.6)	34 (4.3)	65 (5.6)	61 (4.0)	58 (3.3)	49 (2.1)	83 (2.0)	60 (1.6)	57 (1.5)	42 (1.2)	17 (0.9)	3 (0.7)	3 (0.7)	549 (2.2)		549 (2.2)	62.21	13.88			
腎硬化症 (%)					1 (7.1)	3 (7.3)	5 (6.6)	15 (9.6)	30 (8.9)	75 (7.4)	75 (6.4)	108 (7.1)	139 (8.0)	180 (7.7)	445 (7.7)	507 (8.0)	689 (7.7)	795 (8.0)	487 (7.7)	127 (10)	10 (3.674)	10 (3.674)	74.12	11.95				
悪性高血圧 (%)						1 (1.3)	4 (2.5)	11 (3.3)	19 (2.4)	10 (0.9)	10 (1.1)	15 (0.5)	15 (0.6)	21 (0.5)	24 (0.6)	19 (0.5)	26 (0.8)	16 (0.5)	4 (1.0)	1 (1.0)	1 (0.4)	201 (0.8)		201 (0.8)	64.99	16.65		
糖尿病性腎症 (%)						8 (10.5)	40 (25.5)	138 (40.8)	403 (51.2)	697 (59.6)	892 (58.9)	1,045 (59.8)	1,347 (57.5)	2,164 (52.9)	1,766 (47.8)	1,610 (41.9)	1,139 (33.0)	464 (25.9)	77 (18.5)	2 (8.0)	2 (46.2)	11,792 (46.2)		11,792 (46.2)	66.43	12.08		
SLE腎炎 (%)						1 (1.3)	2 (1.3)	1 (0.3)	3 (0.4)	4 (0.3)	7 (0.5)	8 (0.5)	8 (0.3)	12 (0.3)	19 (0.2)	10 (0.3)	7 (0.2)	4 (0.2)	4 (0.2)	4 (0.2)	86 (0.3)		86 (0.3)	65.47	13.49			
アミロイド腎 (%)							2 (1.3)	1 (0.3)	1 (0.1)	2 (0.2)	3 (0.2)	1 (0.1)	3 (0.1)	5 (0.1)	5 (0.1)	5 (0.1)	5 (0.1)	5 (0.1)	5 (0.1)	33 (0.1)		33 (0.1)	64.58	14.82				
痛風腎 (%)											2 (0.2)	8 (0.5)	8 (0.5)	8 (0.3)	10 (0.2)	11 (0.1)	6 (0.1)	3 (0.1)	3 (0.1)	3 (0.1)	61 (0.1)		61 (0.1)	67.93	10.84			
先天性代謝異常による腎不全 (%)						1 (7.1)	3 (7.3)	1 (0.6)	3 (0.4)	1 (0.1)	1 (0.1)	1 (0.0)	1 (0.0)	1 (0.0)	1 (0.0)	1 (0.0)	1 (0.0)	1 (0.0)	1 (0.0)	1 (0.0)	15 (0.1)		15 (0.1)	47.27	23.41			
腎・尿路結核 (%)															2 (0.0)	2 (0.1)	1 (0.0)	2 (0.1)	2 (0.0)	1 (0.0)	1 (0.1)			7 (0.0)	7 (0.0)	75.57	6.50	
腎・尿路結石 (%)												1 (0.3)	1 (0.1)	2 (0.1)	3 (0.1)	1 (0.0)	1 (0.0)	8 (0.3)	11 (0.1)	4 (0.1)	2 (0.1)	33 (0.1)		33 (0.1)	71.79	11.55		
腎・尿路腫瘍 (%)												1 (0.3)	1 (0.1)	5 (0.4)	3 (0.2)	9 (0.6)	15 (0.6)	26 (0.6)	26 (0.6)	29 (0.6)	22 (0.6)	10 (0.6)		10 (0.6)	150 (0.6)	71.45	10.67	
閉塞性尿路障害 (%)												1 (1.3)	1 (0.3)	1 (0.1)	3 (0.2)	7 (0.3)	10 (0.6)	17 (0.6)	7 (0.6)	3 (0.6)	1 (0.6)	61 (0.6)		61 (0.6)	71.31	10.88		
骨髄腫 (%)													1 (0.1)	3 (0.3)	6 (0.4)	1 (0.1)	14 (0.4)	13 (0.6)	15 (0.6)	9 (0.6)	10 (0.6)	1 (0.6)	80 (0.6)		80 (0.6)	71.53	11.42	
腎形成不全 (%)	2 (33.3)	1 (25.0)	2 (66.7)	2 (14.3)	7 (17.1)	1 (1.3)	4 (2.5)	4 (1.2)	1 (0.1)	1 (0.1)	1 (0.1)	1 (0.1)	1 (0.1)	2 (0.1)	1 (0.1)	3 (0.1)	1 (0.1)	2 (0.1)	1 (0.1)	2 (0.1)	34 (0.1)		34 (0.1)	37.12	23.87			
不明 (%)																												
再導入 (%)																					1 (100.0)		1 (100.0)		71.19	13.32		
その他 (%)	2 (33.3)	2 (50.0)	1 (33.3)	4 (28.6)	10 (24.4)	9 (11.8)	11 (7.0)	14 (4.4)	15 (3.3)	26 (2.6)	31 (2.8)	43 (2.7)	72 (3.1)	144 (3.1)	165 (3.5)	151 (4.5)	91 (4.5)	19 (5.1)	1 (4.6)	1 (4.0)	1 (3.9)	1 (100.0)		1 (100.0)	1 (100.0)	69.17	15.32	
合計 (%)	6 (100.0)	4 (100.0)	3 (100.0)	14 (100.0)	41 (100.0)	76 (100.0)	157 (100.0)	338 (100.0)	787 (100.0)	1,170 (100.0)	1,514 (100.0)	1,746 (100.0)	2,342 (100.0)	4,087 (100.0)	3,693 (100.0)	3,841 (100.0)	3,452 (100.0)	1,791 (100.0)	417 (100.0)	25 (100.0)	1 (100.0)	1 (100.0)	1 (100.0)	25,507 (100.0)		25,507 (100.0)	68.57	13.22
記載なし																												
総計	6	4	3	14	41	76	157	338	787	1,170	1,514	1,746	2,342	4,087	3,693	3,841	3,452	1,791	417	25	25,506		1 (25,507)	25,507	68.57	13.22		

数値下のカッコ内は列方向の合計に対する%です。

##A0061##

(C)Japanese Society for Dialysis Therapy

2016年調査