

表 315 2016年死亡患者死亡原因分類(年齢別,原疾患別)原疾患=腎・尿路結核

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差
心不全 (%)															2 (28.6)	1 (50.0)	2 (40.0)	1 (16.7)			6 (26.1)			6 (26.1)	78.33	6.22
脳血管障害 (%)													1 (50.0)								1 (4.3)			1 (4.3)	63.00	
感染症 (%)															1 (14.3)	1 (50.0)	2 (40.0)	3 (50.0)			7 (30.4)			7 (30.4)	81.71	5.41
消化管出血 (%)																										
悪性腫瘍 (%)													1 (50.0)		2 (28.6)						3 (13.0)			3 (13.0)	70.00	5.20
悪液質/尿毒症 (%)														1 (100.0)							1 (4.3)			1 (4.3)	69.00	
心筋梗塞 (%)																										
カリウム中毒/頓死 (%)																										
肝硬変症 (%)																										
自殺/拒否 (%)																										
腸閉塞 (%)																										
肺血栓/肺塞栓 (%)																										
災害・事故死 (%)																	1 (20.0)				1 (4.3)			1 (4.3)	80.00	
その他 (%)															1 (14.3)			1 (16.7)			2 (8.7)			2 (8.7)	79.50	7.78
不明 (%)															1 (14.3)			1 (16.7)			2 (8.7)			2 (8.7)	78.50	9.19
合計 (%)													2 (100.0)	1 (100.0)	7 (100.0)	2 (100.0)	5 (100.0)	6 (100.0)			23 (100.0)			23 (100.0)	77.39	7.27
記載なし																										
脚計													2	1	7	2	5	6			23			23	77.39	7.27

数値下のかっこ内は列方向の合計に対する%です。  
##A0250##  
(C)Japanese Society for Dialysis Therapy  
2016年調査