

表 333 1983年以降導入2016年末患者治療方法，原疾患別

原疾患	施設血液 透析	血液透析 濾過	血液濾過	血液吸着 透析	在宅血液 透析	腹膜透析	合計	記載なし	総計
慢性糸球体腎炎	61,963	23,427	9	643	300	2,659	89,001		89,001
(%)	(69.6)	(26.3)	(0.0)	(0.7)	(0.3)	(3.0)	(100.0)		
慢性腎盂腎炎	2,040	659		14	10	97	2,820		2,820
(%)	(72.3)	(23.4)		(0.5)	(0.4)	(3.4)	(100.0)		
急速進行性糸球体腎炎	1,924	526		3	7	61	2,521		2,521
(%)	(76.3)	(20.9)		(0.1)	(0.3)	(2.4)	(100.0)		
妊娠腎/妊娠中毒症	870	451		32	1	24	1,378		1,378
(%)	(63.1)	(32.7)		(2.3)	(0.1)	(1.7)	(100.0)		
その他の分類不能の腎炎	965	362		8	7	75	1,417		1,417
(%)	(68.1)	(25.5)		(0.6)	(0.5)	(5.3)	(100.0)		
多発性嚢胞腎	8,297	2,791		37	29	271	11,425		11,425
(%)	(72.6)	(24.4)		(0.3)	(0.3)	(2.4)	(100.0)		
腎硬化症	24,029	6,435		25	20	1,104	31,613		31,613
(%)	(76.0)	(20.4)		(0.1)	(0.1)	(3.5)	(100.0)		
悪性高血圧	1,983	613		9	5	106	2,716		2,716
(%)	(73.0)	(22.6)		(0.3)	(0.2)	(3.9)	(100.0)		
糖尿病性腎症	93,911	26,762	9	73	94	2,745	123,594		123,594
(%)	(76.0)	(21.7)	(0.0)	(0.1)	(0.1)	(2.2)	(100.0)		
SLE腎炎	1,540	575	1	12	9	55	2,192		2,192
(%)	(70.3)	(26.2)	(0.0)	(0.5)	(0.4)	(2.5)	(100.0)		
アミロイド腎	310	108			2	16	436		436
(%)	(71.1)	(24.8)			(0.5)	(3.7)	(100.0)		
痛風腎	771	245		7	1	23	1,047		1,047
(%)	(73.6)	(23.4)		(0.7)	(0.1)	(2.2)	(100.0)		
先天性代謝異常による腎不全	177	75			2	17	271		271
(%)	(65.3)	(27.7)			(0.7)	(6.3)	(100.0)		
腎・尿路結核	109	42		3	1	1	156		156
(%)	(69.9)	(26.9)		(1.9)	(0.6)	(0.6)	(100.0)		
腎・尿路結石	428	120		2	1	21	572		572
(%)	(74.8)	(21.0)		(0.3)	(0.2)	(3.7)	(100.0)		
腎・尿路腫瘍	728	217		1		12	958		958
(%)	(76.0)	(22.7)		(0.1)		(1.3)	(100.0)		
閉塞性尿路障害	546	164		5	1	20	736		736
(%)	(74.2)	(22.3)		(0.7)	(0.1)	(2.7)	(100.0)		
骨髄腫	272	43			1	7	323		323
(%)	(84.2)	(13.3)			(0.3)	(2.2)	(100.0)		
腎形成不全	393	180		3	1	65	642		642
(%)	(61.2)	(28.0)		(0.5)	(0.2)	(10.1)	(100.0)		
不明	22,909	7,070		64	70	880	30,993		30,993
(%)	(73.9)	(22.8)		(0.2)	(0.2)	(2.8)	(100.0)		
再導入	1,340	657		25	18	65	2,105		2,105
(%)	(63.7)	(31.2)		(1.2)	(0.9)	(3.1)	(100.0)		
その他	6,176	1,846		17	25	270	8,334		8,334
(%)	(74.1)	(22.2)		(0.2)	(0.3)	(3.2)	(100.0)		
合計	231,681	73,368	19	983	605	8,594	315,250		315,250
(%)	(73.5)	(23.3)	(0.0)	(0.3)	(0.2)	(2.7)	(100.0)		
記載なし									
(%)									
総計	231,681	73,368	19	983	605	8,594	315,250		315,250
(%)	(73.5)	(23.3)	(0.0)	(0.3)	(0.2)	(2.7)	(100.0)		

数値下のかっこ内は行方向の合計に対する％です。

##B0005##

(C)Japanese Society for Dialysis Therapy

2016年調査