

表 360 2015年導入患者1年生存率(原疾患別、年齢別)

原疾患	0歳～		15歳～		30歳～		45歳～		60歳～		75歳～		90歳～		記載なし		合計	
慢性糸球体腎炎	2	1.000	72	1.000	431	0.998	974	0.981	2,562	0.941	2,784	0.861	248	0.746			7,073	0.912
慢性腎盂腎炎			7	0.818	21	0.949	33	0.877	92	0.912	119	0.847	9	0.889			281	0.880
急速進行性糸球体腎炎			4	1.000	11	1.000	33	0.873	163	0.851	241	0.681	17	0.529			469	0.758
妊娠腎／妊娠中毒症					3	1.000	12	0.917	14	1.000	9	1.000	1	0.000			39	0.948
その他分類不能の腎炎			7	1.000	14	1.000	21	0.905	47	0.915	58	0.845	2	1.000			149	0.898
多発性嚢胞腎	3	1.000	6	1.000	74	1.000	313	0.990	400	0.962	210	0.943	18	0.833			1,024	0.967
腎硬化症			6	1.000	116	0.982	385	0.979	1,564	0.949	3,197	0.879	328	0.774			5,596	0.902
悪性高血圧			5	0.800	53	1.000	73	1.000	88	0.965	104	0.923	17	0.824			340	0.955
糖尿病性腎症			9	0.889	699	0.987	3,342	0.972	7,869	0.941	5,607	0.866	250	0.792	1	1.000	17,777	0.923
SLE腎炎			6	1.000	24	1.000	56	0.872	124	0.823	71	0.787	2	1.000			283	0.842
アミロイド腎					2	1.000	14	0.786	59	0.763	41	0.531	1	1.000			117	0.691
痛風腎			1	1.000	9	1.000	27	0.963	37	0.946	20	0.846	1	1.000			95	0.936
先天性代謝異常に基づく腎不全	1	1.000	3	1.000	5	1.000	3	1.000	5	1.000	5	1.000					22	1.000
腎・尿路結核									4	1.000	6	0.833	1	1.000			11	0.909
腎・尿路結石					2	1.000	10	1.000	23	1.000	38	0.816	3	1.000			76	0.907
腎・尿路腫瘍			1	1.000	2	1.000	14	0.929	67	0.806	101	0.624	4	1.000			189	0.725
閉塞性尿路障害			3	1.000	5	1.000	7	0.714	44	0.932	41	0.756	1	1.000			101	0.851
骨髄腫							12	0.652	53	0.562	73	0.493	2	0.500			140	0.532
腎形成不全	12	1.000	10	1.000	10	1.000	11	1.000	9	0.889	9	0.778	2	1.000			63	0.951
不明			28	0.960	188	0.955	558	0.931	1,622	0.876	2,463	0.792	291	0.675			5,150	0.833
移植後再導入	1	1.000	7	1.000	41	1.000	81	0.908	57	0.889	32	0.750	7	0.429			226	0.882
その他	5	1.000	35	0.879	82	0.902	176	0.856	541	0.788	685	0.701	55	0.704			1,579	0.763
記載なし									1	1.000							1	1.000
合計	24	1.000	210	0.958	1,792	0.983	6,155	0.964	15,445	0.925	15,914	0.843	1,260	0.745	1	1.000	40,801	0.896

(C)Japanese Society for Dialysis Therapy

2016年調査