

表 545 心筋梗塞の既往 原疾患別（施設血液透析患者 透析回数週3回）

原疾患	既往なし	既往あり	合計	不明	記載なし	総計
慢性糸球体腎炎	42,157	3,416	45,573	184	11,415	57,172
(%)	(92.5)	(7.5)	(100.0)			
慢性腎盂腎炎	1,404	97	1,501	7	360	1,868
(%)	(93.5)	(6.5)	(100.0)			
急速進行性糸球体腎炎	1,276	98	1,374	7	306	1,687
(%)	(92.9)	(7.1)	(100.0)			
妊娠腎/妊娠中毒症	657	31	688	6	155	849
(%)	(95.5)	(4.5)	(100.0)			
その他の分類不能の腎炎	628	44	672	4	226	902
(%)	(93.5)	(6.5)	(100.0)			
多発性嚢胞腎	5,723	360	6,083	29	1,436	7,548
(%)	(94.1)	(5.9)	(100.0)			
腎硬化症	15,749	1,761	17,510	81	3,927	21,518
(%)	(89.9)	(10.1)	(100.0)			
悪性高血圧	1,312	117	1,429	13	335	1,777
(%)	(91.8)	(8.2)	(100.0)			
糖尿病性腎症	58,480	9,548	68,028	334	16,106	84,468
(%)	(86.0)	(14.0)	(100.0)			
SLE腎炎	1,033	65	1,098	4	268	1,370
(%)	(94.1)	(5.9)	(100.0)			
アミロイド腎	217	13	230	1	49	280
(%)	(94.3)	(5.7)	(100.0)			
痛風腎	559	34	593	3	104	700
(%)	(94.3)	(5.7)	(100.0)			
先天性代謝異常による腎不全	132	5	137		32	169
(%)	(96.4)	(3.6)	(100.0)			
腎・尿路結核	73	6	79		27	106
(%)	(92.4)	(7.6)	(100.0)			
腎・尿路結石	306	19	325	3	56	384
(%)	(94.2)	(5.8)	(100.0)			
腎・尿路腫瘍	483	43	526	4	114	644
(%)	(91.8)	(8.2)	(100.0)			
閉塞性尿路障害	371	13	384	1	80	465
(%)	(96.6)	(3.4)	(100.0)			
骨髄腫	171	10	181	1	31	213
(%)	(94.5)	(5.5)	(100.0)			
腎形成不全	290	9	299		69	368
(%)	(97.0)	(3.0)	(100.0)			
不明	14,475	1,390	15,865	159	4,454	20,478
(%)	(91.2)	(8.8)	(100.0)			
再導入	890	67	957	5	202	1,164
(%)	(93.0)	(7.0)	(100.0)			
その他	3,883	343	4,226	34	1,146	5,406
(%)	(91.9)	(8.1)	(100.0)			
合計	150,269	17,489	167,758	880	40,898	209,536
(%)	(89.6)	(10.4)	(100.0)			
記載なし						
(%)						
総計	150,269	17,489	167,758	880	40,898	209,536
(%)	(89.6)	(10.4)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

##D0123##

(C)Japanese Society for Dialysis Therapy

2016年調査