

表 738 腎移植の回数 原疾患別 (血液透析濾過患者 透析回数週3回)

原疾患	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
慢性系球体腎炎	17,031	348	25	1		17,405	35	4,948	22,388
(%)	(97.9)	(2.0)	(0.1)	(0.0)		(100.0)			
慢性腎孟腎炎	484	7	1			492	2	133	627
(%)	(98.4)	(1.4)	(0.2)			(100.0)			
急速進行性系球体腎炎	368	3				371	1	112	484
(%)	(99.2)	(0.8)				(100.0)			
妊娠腎/妊娠中毒症	346	8				354	1	104	459
(%)	(97.7)	(2.3)				(100.0)			
その他の分類不能の腎炎	262	11	1			274	2	79	355
(%)	(95.6)	(4.0)	(0.4)			(100.0)			
多発性囊胞腎	1,977	7				1,984	4	581	2,569
(%)	(99.6)	(0.4)				(100.0)			
腎硬化症	4,585	6	2			4,593	18	1,285	5,896
(%)	(99.8)	(0.1)	(0.0)			(100.0)			
悪性高血圧	426	1				427	2	126	555
(%)	(99.8)	(0.2)				(100.0)			
糖尿病性腎症	18,986	37	5			19,028	60	5,428	24,516
(%)	(99.8)	(0.2)	(0.0)			(100.0)			
SLE腎炎	433	2				435	3	99	537
(%)	(99.5)	(0.5)				(100.0)			
アミロイド腎	77					77	1	20	98
(%)	(100.0)					(100.0)			
痛風腎	174	1	1			176	2	49	227
(%)	(98.9)	(0.6)	(0.6)			(100.0)			
先天性代謝異常による腎不全	58	3				61		12	73
(%)	(95.1)	(4.9)				(100.0)			
腎・尿路結核	36					36		8	44
(%)	(100.0)					(100.0)			
腎・尿路結石	84					84		29	113
(%)	(100.0)					(100.0)			
腎・尿路腫瘍	153	1				154		36	190
(%)	(99.4)	(0.6)				(100.0)			
閉塞性尿路障害	110	1	1			112		39	151
(%)	(98.2)	(0.9)	(0.9)			(100.0)			
骨髄腫	31					31		6	37
(%)	(100.0)					(100.0)			
腎形成不全	122	9				131		40	171
(%)	(93.1)	(6.9)				(100.0)			
不明	4,844	57	4			4,905	49	1,577	6,531
(%)	(98.8)	(1.2)	(0.1)			(100.0)			
再導入	159	383	21			563		70	633
(%)	(28.2)	(68.0)	(3.7)			(100.0)			
その他	1,288	21	1			1,310	2	408	1,720
(%)	(98.3)	(1.6)	(0.1)			(100.0)			
合計	52,034	906	62	1		53,003	182	15,189	68,374
(%)	(98.2)	(1.7)	(0.1)	(0.0)		(100.0)			
記載なし									
(%)									
総計	52,034	906	62	1		53,003	182	15,189	68,374
(%)	(98.2)	(1.7)	(0.1)	(0.0)		(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

##D1033##

(C)Japanese Society for Dialysis Therapy

2016年調査