

表 743 腎移植の回数 原疾患別 (腹膜透析患者)

原疾患	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
慢性系球体腎炎	1,820	11				1,831		835	2,666
(%)	(99.4)	(0.6)				(100.0)			
慢性腎孟腎炎	75					75		22	97
(%)	(100.0)					(100.0)			
急速進行性系球体腎炎	41					41		20	61
(%)	(100.0)					(100.0)			
妊娠腎/妊娠中毒症	21					21		3	24
(%)	(100.0)					(100.0)			
その他の分類不能の腎炎	55					55		20	75
(%)	(100.0)					(100.0)			
多発性囊胞腎	183	1				184		88	272
(%)	(99.5)	(0.5)				(100.0)			
腎硬化症	739	3				742	1	363	1,106
(%)	(99.6)	(0.4)				(100.0)			
悪性高血圧	69					69		37	106
(%)	(100.0)					(100.0)			
糖尿病性腎症	1,807	8				1,815	1	930	2,746
(%)	(99.6)	(0.4)				(100.0)			
SLE腎炎	33					33		22	55
(%)	(100.0)					(100.0)			
アミロイド腎	8					8		8	16
(%)	(100.0)					(100.0)			
痛風腎	18					18		5	23
(%)	(100.0)					(100.0)			
先天性代謝異常による腎不全	12					12		5	17
(%)	(100.0)					(100.0)			
腎・尿路結核								1	1
(%)									
腎・尿路結石	16	1				17		4	21
(%)	(94.1)	(5.9)				(100.0)			
腎・尿路腫瘍	9					9		3	12
(%)	(100.0)					(100.0)			
閉塞性尿路障害	12					12	1	7	20
(%)	(100.0)					(100.0)			
骨髄腫	6					6		1	7
(%)	(100.0)					(100.0)			
腎形成不全	46					46		19	65
(%)	(100.0)					(100.0)			
不明	535	3				538		351	889
(%)	(99.4)	(0.6)				(100.0)			
再導入	7	42		1		50		15	65
(%)	(14.0)	(84.0)		(2.0)		(100.0)			
その他	179	1				180		91	271
(%)	(99.4)	(0.6)				(100.0)			
合計	5,691	70		1		5,762	3	2,850	8,615
(%)	(98.8)	(1.2)		(0.0)		(100.0)			
記載なし									
(%)									
総計	5,691	70		1		5,762	3	2,850	8,615
(%)	(98.8)	(1.2)		(0.0)		(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

##D1043##

(C)Japanese Society for Dialysis Therapy

2016年調査