

表 837 HDF希釈方法 PTH値(pg/mL)別 (オンラインHDF 透析回数週3回) PTH測定法:intact-PTH

PTH値	前希釈	後希釈	前・後希釈	その他	合計	不明	記載なし	総計
20未満	1,620	84		5	1,709		107	1,816
(%)	(94.8)	(4.9)		(0.3)	(100.0)			
20～	2,428	97		11	2,536		129	2,665
(%)	(95.7)	(3.8)		(0.4)	(100.0)			
40～	2,847	124		2	2,973		136	3,109
(%)	(95.8)	(4.2)		(0.1)	(100.0)			
60～	3,180	168		12	3,360		165	3,525
(%)	(94.6)	(5.0)		(0.4)	(100.0)			
80～	3,349	168		12	3,529		182	3,711
(%)	(94.9)	(4.8)		(0.3)	(100.0)			
100～	3,345	158		8	3,511	1	181	3,693
(%)	(95.3)	(4.5)		(0.2)	(100.0)			
120～	3,277	170		6	3,453		200	3,653
(%)	(94.9)	(4.9)		(0.2)	(100.0)			
140～	2,977	146		6	3,129		175	3,304
(%)	(95.1)	(4.7)		(0.2)	(100.0)			
160～	2,835	128		8	2,971		179	3,150
(%)	(95.4)	(4.3)		(0.3)	(100.0)			
180～	6,271	263		14	6,548		428	6,976
(%)	(95.8)	(4.0)		(0.2)	(100.0)			
240～	85	4		1	90		3	93
(%)	(94.4)	(4.4)		(1.1)	(100.0)			
241～	3,787	145		6	3,938		238	4,176
(%)	(96.2)	(3.7)		(0.2)	(100.0)			
300～	2,135	98		9	2,242		154	2,396
(%)	(95.2)	(4.4)		(0.4)	(100.0)			
360～	1,216	44		6	1,266		91	1,357
(%)	(96.1)	(3.5)		(0.5)	(100.0)			
420～	750	33		3	786		64	850
(%)	(95.4)	(4.2)		(0.4)	(100.0)			
480～	177	7		1	185		5	190
(%)	(95.7)	(3.8)		(0.5)	(100.0)			
500～	308	20		2	330		16	346
(%)	(93.3)	(6.1)		(0.6)	(100.0)			
540～	318	10	1	2	331		23	354
(%)	(96.1)	(3.0)	(0.3)	(0.6)	(100.0)			
600～	543	27		3	573		32	605
(%)	(94.8)	(4.7)		(0.5)	(100.0)			
800～	432	27		1	460		42	502
(%)	(93.9)	(5.9)		(0.2)	(100.0)			
合計	41,880	1,921	1	118	43,920	1	2,550	46,471
(%)	(95.4)	(4.4)	(0.0)	(0.3)	(100.0)			
記載なし	537	22		3	562		28	590
(%)	(95.6)	(3.9)		(0.5)	(100.0)			
総計	42,417	1,943	1	121	44,482	1	2,578	47,061
(%)	(95.4)	(4.4)	(0.0)	(0.3)	(100.0)			
平均	181.59	180.52	589.00	214.22	181.64	119.00	197.58	182.52
標準偏差	168.03	181.87		300.57	169.16		198.69	170.95

数値下のかっこ内は行方向の合計に対する%です。

##D1731##

(C)Japanese Society for Dialysis Therapy

2016年調査