

表 893 身長(cm) 透析歴(年)別 (透析患者全体)

透析歴	130未満	130～	135～	140～	145～	150～	155～	160～	165～	170～	175～	180～	185～	190～	合計	記載なし	総計	平均	標準偏差
2年未満	54	177	692	2,277	4,871	7,438	9,050	11,610	10,735	6,762	2,577	742	132	19	57,136	13,402	70,538	160.35	9.76
(%)	(0.1)	(0.3)	(1.2)	(4.0)	(8.5)	(13.0)	(15.8)	(20.3)	(18.8)	(11.8)	(4.5)	(1.3)	(0.2)	(0.0)	(100.0)				
2年～	81	174	799	2,832	5,820	9,298	11,168	14,381	13,057	8,662	3,261	915	150	35	70,633	9,535	80,168	160.45	9.74
(%)	(0.1)	(0.2)	(1.1)	(4.0)	(8.2)	(13.2)	(15.8)	(20.4)	(18.5)	(12.3)	(4.6)	(1.3)	(0.2)	(0.0)	(100.0)				
5年～	81	180	673	2,544	6,006	9,476	11,358	14,329	13,320	8,706	3,412	884	143	19	71,131	8,014	79,145	160.56	9.60
(%)	(0.1)	(0.3)	(0.9)	(3.6)	(8.4)	(13.3)	(16.0)	(20.1)	(18.7)	(12.2)	(4.8)	(1.2)	(0.2)	(0.0)	(100.0)				
10年～	36	70	283	1,249	3,059	5,186	6,101	7,155	6,689	4,552	1,669	477	73	6	36,605	3,951	40,556	160.54	9.47
(%)	(0.1)	(0.2)	(0.8)	(3.4)	(8.4)	(14.2)	(16.7)	(19.5)	(18.3)	(12.4)	(4.6)	(1.3)	(0.2)	(0.0)	(100.0)				
15年～	20	35	152	586	1,749	3,097	3,505	3,841	3,527	2,415	862	217	26	3	20,035	2,059	22,094	160.24	9.31
(%)	(0.1)	(0.2)	(0.8)	(2.9)	(8.7)	(15.5)	(17.5)	(19.2)	(17.6)	(12.1)	(4.3)	(1.1)	(0.1)	(0.0)	(100.0)				
20年～	15	10	63	331	1,030	1,834	2,038	2,084	1,940	1,352	461	118	20		11,296	1,188	12,484	160.09	9.22
(%)	(0.1)	(0.1)	(0.6)	(2.9)	(9.1)	(16.2)	(18.0)	(18.4)	(17.2)	(12.0)	(4.1)	(1.0)	(0.2)		(100.0)				
25年～	7	18	54	224	637	1,113	1,169	1,129	1,026	665	204	45	7		6,298	599	6,897	159.14	9.23
(%)	(0.1)	(0.3)	(0.9)	(3.6)	(10.1)	(17.7)	(18.6)	(17.9)	(16.3)	(10.6)	(3.2)	(0.7)	(0.1)		(100.0)				
30年～	11	8	56	166	410	642	604	683	578	314	122	26	1		3,621	366	3,987	158.35	9.65
(%)	(0.3)	(0.2)	(1.5)	(4.6)	(11.3)	(17.7)	(16.7)	(18.9)	(16.0)	(8.7)	(3.4)	(0.7)	(0.0)		(100.0)				
35年～	3	8	28	91	229	367	364	353	270	178	60	7			1,958	194	2,152	157.99	9.30
(%)	(0.2)	(0.4)	(1.4)	(4.6)	(11.7)	(18.7)	(18.6)	(18.0)	(13.8)	(9.1)	(3.1)	(0.4)			(100.0)				
40年～	2	4	12	41	93	135	121	142	84	48	22	2			706	87	793	157.10	9.49
(%)	(0.3)	(0.6)	(1.7)	(5.8)	(13.2)	(19.1)	(17.1)	(20.1)	(11.9)	(6.8)	(3.1)	(0.3)			(100.0)				
合計	310	684	2,812	10,341	23,904	38,586	45,478	55,707	51,226	33,654	12,650	3,433	552	82	279,419	39,395	318,814	160.36	9.62
(%)	(0.1)	(0.2)	(1.0)	(3.7)	(8.6)	(13.8)	(16.3)	(19.9)	(18.3)	(12.0)	(4.5)	(1.2)	(0.2)	(0.0)	(100.0)				
不明				4	17	13	13	15	22	13	7	2			106	189	295	160.46	9.98
(%)				(3.8)	(16.0)	(12.3)	(12.3)	(14.2)	(20.8)	(12.3)	(6.6)	(1.9)			(100.0)				
記載なし																			
(%)																			
総計	310	684	2,812	10,345	23,921	38,599	45,491	55,722	51,248	33,667	12,657	3,435	552	82	279,525	39,584	319,109	160.36	9.62
(%)	(0.1)	(0.2)	(1.0)	(3.7)	(8.6)	(13.8)	(16.3)	(19.9)	(18.3)	(12.0)	(4.5)	(1.2)	(0.2)	(0.0)	(100.0)				
平均	8.46	6.67	6.81	7.20	7.94	8.23	7.87	7.34	7.26	7.35	7.15	6.71	6.18	4.32	7.56	5.88	7.35		
標準偏差	8.85	7.84	7.93	7.80	8.15	8.20	7.86	7.47	7.30	7.22	7.07	6.59	6.10	3.89	7.64	7.16	7.60		

数値下のかっこ内は行方向の合計に対する%です。  
##D2015##  
(C)Japanese Society for Dialysis Therapy  
2016年調査