

表 923 体重(kg) 年齢(歳)別 (腹膜透析患者)

年齢	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
15歳未満	44	8	6	4									62	23	85	17.88	10.38
(%)	(71.0)	(12.9)	(9.7)	(6.5)									(100.0)				
15歳～	3	6	11	20	11	4	5	4					64	30	94	48.21	17.91
(%)	(4.7)	(9.4)	(17.2)	(31.3)	(17.2)	(6.3)	(7.8)	(6.3)					(100.0)				
30歳～		3	15	36	92	102	66	34	24	12	6	4	394	214	608	67.14	18.35
(%)		(0.8)	(3.8)	(9.1)	(23.4)	(25.9)	(16.8)	(8.6)	(6.1)	(3.0)	(1.5)	(1.0)	(100.0)				
45歳～		2	20	145	305	437	344	162	53	14	8	3	1,493	790	2,283	66.76	13.97
(%)		(0.1)	(1.3)	(9.7)	(20.4)	(29.3)	(23.0)	(10.9)	(3.5)	(0.9)	(0.5)	(0.2)	(100.0)				
60歳～			49	334	761	817	362	89	21	3	1		2,437	1,281	3,718	60.93	10.98
(%)			(2.0)	(13.7)	(31.2)	(33.5)	(14.9)	(3.7)	(0.9)	(0.1)	(0.0)		(100.0)				
75歳～		1	46	274	402	263	79	10	1	1			1,077	624	1,701	55.65	10.16
(%)		(0.1)	(4.3)	(25.4)	(37.3)	(24.4)	(7.3)	(0.9)	(0.1)	(0.1)			(100.0)				
90歳～			11	29	26	2	1						69	57	126	48.33	8.29
(%)			(15.9)	(42.0)	(37.7)	(2.9)	(1.4)						(100.0)				
合計	47	20	158	842	1,597	1,625	857	299	99	30	15	7	5,596	3,019	8,615	61.13	13.97
(%)	(0.8)	(0.4)	(2.8)	(15.0)	(28.5)	(29.0)	(15.3)	(5.3)	(1.8)	(0.5)	(0.3)	(0.1)	(100.0)				
不明																	
(%)																	
記載なし																	
(%)																	
総計	47	20	158	842	1,597	1,625	857	299	99	30	15	7	5,596	3,019	8,615	61.13	13.97
(%)	(0.8)	(0.4)	(2.8)	(15.0)	(28.5)	(29.0)	(15.3)	(5.3)	(1.8)	(0.5)	(0.3)	(0.1)	(100.0)				
平均	5.55	25.35	63.41	67.72	66.32	63.40	59.68	55.06	51.41	47.90	47.87	42.14	62.88	63.66	63.16		
標準偏差	4.80	19.95	22.00	15.10	12.91	11.24	11.29	10.42	9.17	10.57	6.20	8.32	14.50	14.44	14.48		

数値下のかっこ内は行方向の合計に対する%です。
##D2212##
(C)Japanese Society for Dialysis Therapy
2016年調査