

表 981 BUN(mg/dL) 透析歴(年)別 (腹膜透析患者)

透析歴	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
2年未満	10	71	289	523	634	477	260	120	33	10	2	5	2,434	1,184	3,618	55.56	15.97
(%)	(0.4)	(2.9)	(11.9)	(21.5)	(26.0)	(19.6)	(10.7)	(4.9)	(1.4)	(0.4)	(0.1)	(0.2)	(100.0)				
2年～	4	46	235	430	534	385	217	86	32	11	2	1	1,983	1,001	2,984	55.67	15.29
(%)	(0.2)	(2.3)	(11.9)	(21.7)	(26.9)	(19.4)	(10.9)	(4.3)	(1.6)	(0.6)	(0.1)	(0.1)	(100.0)				
5年～	2	28	114	271	302	199	80	42	11	5	1	1	1,056	519	1,575	54.38	15.22
(%)	(0.2)	(2.7)	(10.8)	(25.7)	(28.6)	(18.8)	(7.6)	(4.0)	(1.0)	(0.5)	(0.1)	(0.1)	(100.0)				
10年～	1	3	32	52	64	44	16	2					214	75	289	52.26	12.60
(%)	(0.5)	(1.4)	(15.0)	(24.3)	(29.9)	(20.6)	(7.5)	(0.9)					(100.0)				
15年～		5	11	17	17	9	3	1					63	22	85	49.06	12.95
(%)		(7.9)	(17.5)	(27.0)	(27.0)	(14.3)	(4.8)	(1.6)					(100.0)				
20年～	1	2	2	6	7	1		1					20	8	28	46.65	15.49
(%)	(5.0)	(10.0)	(10.0)	(30.0)	(35.0)	(5.0)		(5.0)					(100.0)				
25年～		1	3	1									5	4	9	35.40	9.84
(%)		(20.0)	(60.0)	(20.0)									(100.0)				
30年～			1			2		1					4	2	6	63.50	19.07
(%)			(25.0)			(50.0)		(25.0)					(100.0)				
35年～			1										1		1	39.00	
(%)			(100.0)										(100.0)				
40年～				1	1								2		2	50.00	7.07
(%)				(50.0)	(50.0)								(100.0)				
合計	18	156	688	1,301	1,559	1,117	576	253	76	26	5	7	5,782	2,815	8,597	55.14	15.49
(%)	(0.3)	(2.7)	(11.9)	(22.5)	(27.0)	(19.3)	(10.0)	(4.4)	(1.3)	(0.4)	(0.1)	(0.1)	(100.0)				
不明			1		1						1		3	15	18	71.67	41.24
(%)			(33.3)		(33.3)						(33.3)		(100.0)				
記載なし																	
(%)																	
総計	18	156	689	1,301	1,560	1,117	576	253	76	26	6	7	5,785	2,830	8,615	55.15	15.51
(%)	(0.3)	(2.7)	(11.9)	(22.5)	(27.0)	(19.3)	(10.0)	(4.4)	(1.3)	(0.4)	(0.1)	(0.1)	(100.0)				
平均	3.50	3.35	3.24	3.32	3.17	2.98	2.58	2.66	2.22	2.58	3.00	1.29	3.08	2.91	3.03		
標準偏差	5.42	4.61	4.19	3.80	3.57	3.38	2.74	3.55	2.13	1.92	3.16	1.98	3.62	3.30	3.52		

数値下のかっこ内は行方向の合計に対する%です。
##D2632##
(C)Japanese Society for Dialysis Therapy
2016年調査