

表 1023 nPCR(g/kg/day) 医療機関別 (施設血液透析患者 透析回数週3回 透析歴2年以上)

医療機関	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	5	33	71	39	13	8	1				170	124	294	0.76	0.21
(%)	(2.9)	(19.4)	(41.8)	(22.9)	(7.6)	(4.7)	(0.6)				(100.0)				
私立大学		47	259	320	103	13	1				743	287	1,030	0.83	0.17
(%)		(6.3)	(34.9)	(43.1)	(13.9)	(1.7)	(0.1)				(100.0)				
国立病院機構等		19	89	113	35	4					260	76	336	0.83	0.16
(%)		(7.3)	(34.2)	(43.5)	(13.5)	(1.5)					(100.0)				
県市町村立・国保	22	492	2,765	3,303	1,137	181	19	3			7,922	1,489	9,411	0.84	0.17
(%)	(0.3)	(6.2)	(34.9)	(41.7)	(14.4)	(2.3)	(0.2)	(0.0)			(100.0)				
JCHO(旧社会保険)等	3	112	537	732	274	31	1				1,690	177	1,867	0.84	0.17
(%)	(0.2)	(6.6)	(31.8)	(43.3)	(16.2)	(1.8)	(0.1)				(100.0)				
厚生連等	8	253	1,449	1,831	650	88	13	1			4,293	520	4,813	0.84	0.17
(%)	(0.2)	(5.9)	(33.8)	(42.7)	(15.1)	(2.0)	(0.3)	(0.0)			(100.0)				
その他公的	12	249	1,481	1,787	565	84	3	2			4,183	764	4,947	0.83	0.16
(%)	(0.3)	(6.0)	(35.4)	(42.7)	(13.5)	(2.0)	(0.1)	(0.0)			(100.0)				
私立総合	9	209	1,105	1,383	461	89	11	1			3,268	290	3,558	0.84	0.17
(%)	(0.3)	(6.4)	(33.8)	(42.3)	(14.1)	(2.7)	(0.3)	(0.0)			(100.0)				
私立	160	3,165	14,126	16,621	6,167	1,056	125	8	4	2	41,434	5,986	47,420	0.84	0.18
(%)	(0.4)	(7.6)	(34.1)	(40.1)	(14.9)	(2.5)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				
私立診療所	96	3,472	24,156	34,922	13,485	2,307	242	23	5	2	78,710	8,747	87,457	0.86	0.17
(%)	(0.1)	(4.4)	(30.7)	(44.4)	(17.1)	(2.9)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				
総計	315	8,051	46,038	61,051	22,890	3,861	416	38	9	4	142,673	18,460	161,133	0.85	0.17
(%)	(0.2)	(5.6)	(32.3)	(42.8)	(16.0)	(2.7)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

##D3014##

(C)Japanese Society for Dialysis Therapy

2016年調査