

表 1082 透析前アルブミン濃度(g/dL) 透析歴(年)別 (透析患者全体)

透析歴	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
2年未満	91	420	1,529	4,950	17,020	28,159	9,244	533	37	61,983	8,555	70,538	3.51	0.48
(%)	(0.1)	(0.7)	(2.5)	(8.0)	(27.5)	(45.4)	(14.9)	(0.9)	(0.1)	(100.0)				
2年～	37	218	1,030	4,228	18,612	35,481	11,489	602	22	71,719	8,449	80,168	3.57	0.43
(%)	(0.1)	(0.3)	(1.4)	(5.9)	(26.0)	(49.5)	(16.0)	(0.8)	(0.0)	(100.0)				
5年～	40	235	1,138	4,340	18,879	35,161	10,850	489	46	71,178	7,967	79,145	3.56	0.43
(%)	(0.1)	(0.3)	(1.6)	(6.1)	(26.5)	(49.4)	(15.2)	(0.7)	(0.1)	(100.0)				
10年～	16	117	534	2,141	10,131	18,298	5,278	232	19	36,766	3,790	40,556	3.55	0.42
(%)	(0.0)	(0.3)	(1.5)	(5.8)	(27.6)	(49.8)	(14.4)	(0.6)	(0.1)	(100.0)				
15年～	11	58	253	1,077	5,302	10,165	2,997	129	13	20,005	2,089	22,094	3.57	0.42
(%)	(0.1)	(0.3)	(1.3)	(5.4)	(26.5)	(50.8)	(15.0)	(0.6)	(0.1)	(100.0)				
20年～	4	38	137	537	2,908	5,925	1,700	75	2	11,326	1,158	12,484	3.58	0.41
(%)	(0.0)	(0.3)	(1.2)	(4.7)	(25.7)	(52.3)	(15.0)	(0.7)	(0.0)	(100.0)				
25年～	1	10	69	330	1,747	3,175	919	37	3	6,291	606	6,897	3.57	0.40
(%)	(0.0)	(0.2)	(1.1)	(5.2)	(27.8)	(50.5)	(14.6)	(0.6)	(0.0)	(100.0)				
30年～	1	12	49	223	1,052	1,820	433	12	1	3,603	384	3,987	3.53	0.41
(%)	(0.0)	(0.3)	(1.4)	(6.2)	(29.2)	(50.5)	(12.0)	(0.3)	(0.0)	(100.0)				
35年～		8	32	163	686	895	180	4	1	1,969	183	2,152	3.46	0.42
(%)		(0.4)	(1.6)	(8.3)	(34.8)	(45.5)	(9.1)	(0.2)	(0.1)	(100.0)				
40年～		3	19	81	280	291	57			731	62	793	3.38	0.44
(%)		(0.4)	(2.6)	(11.1)	(38.3)	(39.8)	(7.8)			(100.0)				
合計	201	1,119	4,790	18,070	76,617	139,370	43,147	2,113	144	285,571	33,243	318,814	3.55	0.44
(%)	(0.1)	(0.4)	(1.7)	(6.3)	(26.8)	(48.8)	(15.1)	(0.7)	(0.1)	(100.0)				
不明			22	33	51	57	14	3		180	115	295	3.24	0.59
(%)			(12.2)	(18.3)	(28.3)	(31.7)	(7.8)	(1.7)		(100.0)				
記載なし														
(%)														
総計	201	1,119	4,812	18,103	76,668	139,427	43,161	2,116	144	285,751	33,358	319,109	3.55	0.44
(%)	(0.1)	(0.4)	(1.7)	(6.3)	(26.8)	(48.8)	(15.1)	(0.7)	(0.1)	(100.0)				
平均	4.60	5.91	6.26	6.84	7.55	7.59	7.13	6.31	7.13	7.42	6.74	7.35		
標準偏差	5.90	7.43	7.39	7.74	7.88	7.60	7.23	6.63	6.99	7.63	7.35	7.60		

数値下のかっこ内は行方向の合計に対する%です。

##D3815##

(C)Japanese Society for Dialysis Therapy

2016年調査