

表 1154 透析前リン濃度(mg/dL) 透析歴(年)別 (透析患者全体)

透析歴	3未満	3.0~	3.5~	4.0~	4.5~	5.0~	5.5~	6.0~	6.1~	6.5~	7.0~	7.5~	8.0~	8.5~	9.0~	合計	記載なし	総計	平均	標準偏差
2年未満	2,769	3,516	6,137	8,369	9,386	9,092	7,450	1,264	4,310	3,870	2,425	1,461	887	574	877	62,387	8,151	70,538	5.13	1.44
(%)	(4.4)	(5.6)	(9.8)	(13.4)	(15.0)	(14.6)	(11.9)	(2.0)	(6.9)	(6.2)	(3.9)	(2.3)	(1.4)	(0.9)	(1.4)	(100.0)				
2年~	3,150	3,676	6,421	9,063	10,825	10,798	9,223	1,521	5,372	4,653	2,870	1,763	1,080	675	1,090	72,180	7,988	80,168	5.19	1.45
(%)	(4.4)	(5.1)	(8.9)	(12.6)	(15.0)	(15.0)	(12.8)	(2.1)	(7.4)	(6.4)	(4.0)	(2.4)	(1.5)	(0.9)	(1.5)	(100.0)				
5年~	3,108	3,449	5,840	8,487	10,535	10,730	9,331	1,596	5,645	4,925	3,063	1,842	1,194	730	1,164	71,639	7,506	79,145	5.25	1.47
(%)	(4.3)	(4.8)	(8.2)	(11.8)	(14.7)	(15.0)	(13.0)	(2.2)	(7.9)	(6.9)	(4.3)	(2.6)	(1.7)	(1.0)	(1.6)	(100.0)				
10年~	1,525	1,639	3,011	4,459	5,519	5,654	4,999	899	2,802	2,530	1,511	964	539	365	577	36,993	3,563	40,556	5.25	1.44
(%)	(4.1)	(4.4)	(8.1)	(12.1)	(14.9)	(15.3)	(13.5)	(2.4)	(7.6)	(6.8)	(4.1)	(2.6)	(1.5)	(1.0)	(1.6)	(100.0)				
15年~	736	872	1,579	2,459	3,131	3,124	2,801	482	1,618	1,377	841	464	263	157	266	20,170	1,924	22,094	5.24	1.38
(%)	(3.6)	(4.3)	(7.8)	(12.2)	(15.5)	(15.5)	(13.9)	(2.4)	(8.0)	(6.8)	(4.2)	(2.3)	(1.3)	(0.8)	(1.3)	(100.0)				
20年~	431	463	911	1,412	1,761	1,882	1,607	272	902	714	444	261	154	84	137	11,435	1,049	12,484	5.22	1.37
(%)	(3.8)	(4.0)	(8.0)	(12.3)	(15.4)	(16.5)	(14.1)	(2.4)	(7.9)	(6.2)	(3.9)	(2.3)	(1.3)	(0.7)	(1.2)	(100.0)				
25年~	213	299	515	814	971	1,055	958	137	438	411	231	153	64	43	54	6,356	541	6,897	5.17	1.32
(%)	(3.4)	(4.7)	(8.1)	(12.8)	(15.3)	(16.6)	(15.1)	(2.2)	(6.9)	(6.5)	(3.6)	(2.4)	(1.0)	(0.7)	(0.8)	(100.0)				
30年~	130	161	274	485	544	619	525	85	288	243	141	75	31	17	17	3,635	352	3,987	5.16	1.26
(%)	(3.6)	(4.4)	(7.5)	(13.3)	(15.0)	(17.0)	(14.4)	(2.3)	(7.9)	(6.7)	(3.9)	(2.1)	(0.9)	(0.5)	(0.5)	(100.0)				
35年~	91	103	185	268	322	315	265	46	158	95	72	32	15	9	16	1,992	160	2,152	5.05	1.32
(%)	(4.6)	(5.2)	(9.3)	(13.5)	(16.2)	(15.8)	(13.3)	(2.3)	(7.9)	(4.8)	(3.6)	(1.6)	(0.8)	(0.5)	(0.8)	(100.0)				
40年~	35	37	84	105	113	134	75	15	55	32	24	17	2	4	8	740	53	793	4.99	1.34
(%)	(4.7)	(5.0)	(11.4)	(14.2)	(15.3)	(18.1)	(10.1)	(2.0)	(7.4)	(4.3)	(3.2)	(2.3)	(0.3)	(0.5)	(1.1)	(100.0)				
合計	12,188	14,215	24,957	35,921	43,107	43,403	37,234	6,317	21,588	18,850	11,622	7,032	4,229	2,658	4,206	287,527	31,287	318,814	5.20	1.44
(%)	(4.2)	(4.9)	(8.7)	(12.5)	(15.0)	(15.1)	(12.9)	(2.2)	(7.5)	(6.6)	(4.0)	(2.4)	(1.5)	(0.9)	(1.5)	(100.0)				
不明	16	17	22	16	24	16	25	1	6	11	5	3	5	2	3	172	123	295	4.90	1.70
(%)	(9.3)	(9.9)	(12.8)	(9.3)	(14.0)	(9.3)	(14.5)	(0.6)	(3.5)	(6.4)	(2.9)	(1.7)	(2.9)	(1.2)	(1.7)	(100.0)				
記載なし																				
(%)																				
総計	12,204	14,232	24,979	35,937	43,131	43,419	37,259	6,318	21,594	18,861	11,627	7,035	4,234	2,660	4,209	287,699	31,410	319,109	5.20	1.44
(%)	(4.2)	(4.9)	(8.7)	(12.5)	(15.0)	(15.1)	(13.0)	(2.2)	(7.5)	(6.6)	(4.0)	(2.4)	(1.5)	(0.9)	(1.5)	(100.0)				
平均	7.02	6.90	7.02	7.34	7.49	7.68	7.78	7.77	7.62	7.47	7.41	7.29	6.86	6.80	6.77	7.43	6.63	7.35		
標準偏差	7.42	7.51	7.63	7.76	7.71	7.85	7.77	7.65	7.63	7.41	7.44	7.28	6.72	6.69	6.56	7.63	7.25	7.60		

数値下のかっこ内は行方向の合計に対する%です。

#D4115##

(C)Japanese Society for Dialysis Therapy

2016年調査