

表 1159 透析前リン濃度(mg/dL) 透析歴(年)別 (施設血液透析患者 透析回数週3回)

透析歴	3未満	3.0 ~	3.5 ~	4.0 ~	4.5 ~	5.0 ~	5.5 ~	6.0 ~	6.1 ~	6.5 ~	7.0 ~	7.5 ~	8.0 ~	8.5 ~	9.0 ~	合計	記載なし	総計	平均	標準偏差	
2年未満	2,122	2,565	4,521	6,128	6,932	6,878	5,532	946	3,251	2,869	1,769	1,086	634	425	644	46,302	1,949	48,251	5.12	1.44	
(%)	(4.6)	(5.5)	(9.8)	(13.2)	(15.0)	(14.9)	(11.9)	(2.0)	(7.0)	(6.2)	(3.8)	(2.3)	(1.4)	(0.9)	(1.4)	(100.0)					
2年 ~	2,381	2,711	4,709	6,520	7,749	7,752	6,524	1,079	3,778	3,301	1,995	1,216	749	493	770	51,727	1,635	53,362	5.16	1.45	
(%)	(4.6)	(5.2)	(9.1)	(12.6)	(15.0)	(15.0)	(12.6)	(2.1)	(7.3)	(6.4)	(3.9)	(2.4)	(1.4)	(1.0)	(1.5)	(100.0)					
5年 ~	2,351	2,569	4,281	6,120	7,548	7,700	6,560	1,118	4,001	3,430	2,125	1,281	790	479	786	51,139	1,585	52,724	5.21	1.47	
(%)	(4.6)	(5.0)	(8.4)	(12.0)	(14.8)	(15.1)	(12.8)	(2.2)	(7.8)	(6.7)	(4.2)	(2.5)	(1.5)	(0.9)	(1.5)	(100.0)					
10年 ~	1,141	1,181	2,193	3,190	3,914	3,960	3,477	613	1,909	1,694	1,016	649	359	227	379	25,902	805	26,707	5.20	1.43	
(%)	(4.4)	(4.6)	(8.5)	(12.3)	(15.1)	(15.3)	(13.4)	(2.4)	(7.4)	(6.5)	(3.9)	(2.5)	(1.4)	(0.9)	(1.5)	(100.0)					
15年 ~	547	609	1,113	1,696	2,143	2,070	1,788	327	1,031	882	548	325	167	95	164	13,505	443	13,948	5.19	1.38	
(%)	(4.1)	(4.5)	(8.2)	(12.6)	(15.9)	(15.3)	(13.2)	(2.4)	(7.6)	(6.5)	(4.1)	(2.4)	(1.2)	(0.7)	(1.2)	(100.0)					
20年 ~	283	322	580	882	1,062	1,157	1,001	161	564	455	267	162	97	51	96	7,140	211	7,351	5.21	1.39	
(%)	(4.0)	(4.5)	(8.1)	(12.4)	(14.9)	(16.2)	(14.0)	(2.3)	(7.9)	(6.4)	(3.7)	(2.3)	(1.4)	(0.7)	(1.3)	(100.0)					
25年 ~	137	180	299	458	552	599	547	75	240	233	136	78	35	22	34	3,625	98	3,723	5.15	1.33	
(%)	(3.8)	(5.0)	(8.2)	(12.6)	(15.2)	(16.5)	(15.1)	(2.1)	(6.6)	(6.4)	(3.8)	(2.2)	(1.0)	(0.6)	(0.9)	(100.0)					
30年 ~	82	89	164	264	291	321	250	39	156	117	65	40	17	9	11	1,915	54	1,969	5.09	1.29	
(%)	(4.3)	(4.6)	(8.6)	(13.8)	(15.2)	(16.8)	(13.1)	(2.0)	(8.1)	(6.1)	(3.4)	(2.1)	(0.9)	(0.5)	(0.6)	(100.0)					
35年 ~	50	55	103	144	139	145	117	23	73	46	37	15	6	5	9	967	29	996	4.98	1.33	
(%)	(5.2)	(5.7)	(10.7)	(14.9)	(14.4)	(15.0)	(12.1)	(2.4)	(7.5)	(4.8)	(3.8)	(1.6)	(0.6)	(0.5)	(0.9)	(100.0)					
40年 ~	19	18	43	51	52	60	30	9	26	11	14	7	1	2	5	348	5	353	4.96	1.37	
(%)	(5.5)	(5.2)	(12.4)	(14.9)	(17.2)	(8.6)	(2.6)	(7.5)	(3.2)	(4.0)	(2.0)	(0.3)	(0.6)	(1.4)	(100.0)						
合計	9,113	10,299	18,006	25,453	30,382	30,642	25,826	4,390	15,029	13,038	7,972	4,859	2,855	1,808	2,898	202,570	6,814	209,384	5.17	1.44	
(%)	(4.5)	(5.1)	(8.9)	(12.6)	(15.0)	(15.1)	(12.7)	(2.2)	(7.4)	(6.4)	(3.9)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)					
不明	12	12	15	10	20	12	16			5	7	4	3	5	1		122	30	152	4.83	1.63
(%)	(9.8)	(9.8)	(12.3)	(8.2)	(16.4)	(9.8)	(13.1)			(4.1)	(5.7)	(3.3)	(2.5)	(4.1)	(0.8)		(100.0)				
記載なし																					
(%)																					
総計	9,125	10,311	18,021	25,463	30,402	30,654	25,842	4,390	15,034	13,045	7,976	4,862	2,860	1,809	2,898	202,692	6,844	209,536	5.17	1.44	
(%)	(4.5)	(5.1)	(8.9)	(12.6)	(15.0)	(15.1)	(12.7)	(2.2)	(7.4)	(6.4)	(3.9)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)					
平均	6.73	6.60	6.67	6.92	7.02	7.12	7.23	7.25	7.08	6.97	6.96	6.86	6.52	6.26	6.53	6.96	6.33	6.94			
標準偏差	7.03	7.07	7.19	7.27	7.17	7.29	7.22	7.17	7.14	6.95	7.02	6.83	6.42	6.35	6.44	7.14	6.93	7.14			

数値下のかっこ内は行方向の合計に対する%です。

##D4122##

(C)Japanese Society for Dialysis Therapy
2016年調査