

表 1200 PTH値(pg/mL) 透析歴(年)別 (透析患者全体) PTH測定法:whole-PTH

透析歴	20未満	20~	35~	50~	75~	100~	125~	150~	151~	180~	210~	240~	300~	350~	400~	500~	合計	記載なし	総計	平均	標準偏差
2年未満	320	420	427	651	572	518	372	20	281	221	157	170	72	43	50	44	4,338	149	4,487	114.21	104.41
(%)	(7.4)	(9.7)	(9.8)	(15.0)	(13.2)	(11.9)	(8.6)	(0.5)	(6.5)	(5.1)	(3.6)	(3.9)	(1.7)	(1.0)	(1.2)	(1.0)	(100.0)				
2年~	433	634	577	901	777	549	446	12	301	201	117	134	66	36	44	44	5,272	100	5,372	100.15	96.60
(%)	(8.2)	(12.0)	(10.9)	(17.1)	(14.7)	(10.4)	(8.5)	(0.2)	(5.7)	(3.8)	(2.2)	(2.5)	(1.3)	(0.7)	(0.8)	(0.8)	(100.0)				
5年~	368	554	592	952	804	639	474	12	354	275	166	202	97	52	70	65	5,676	118	5,794	113.18	110.94
(%)	(6.5)	(9.8)	(10.4)	(16.8)	(14.2)	(11.3)	(8.4)	(0.2)	(6.2)	(4.8)	(2.9)	(3.6)	(1.7)	(0.9)	(1.2)	(1.1)	(100.0)				
10年~	194	276	290	454	394	386	247	9	186	122	93	139	53	42	44	50	2,979	51	3,030	122.86	129.95
(%)	(6.5)	(9.3)	(9.7)	(15.2)	(13.2)	(13.0)	(8.3)	(0.3)	(6.2)	(4.1)	(3.1)	(4.7)	(1.8)	(1.4)	(1.5)	(1.7)	(100.0)				
15年~	131	155	187	269	228	188	137	6	89	86	58	67	40	23	23	45	1,732	31	1,763	127.34	154.40
(%)	(7.6)	(8.9)	(10.8)	(15.5)	(13.2)	(10.9)	(7.9)	(0.3)	(5.1)	(5.0)	(3.3)	(3.9)	(2.3)	(1.3)	(1.3)	(2.6)	(100.0)				
20年~	108	76	110	142	130	106	75	2	74	45	36	31	20	12	17	14	998	20	1,018	118.10	139.34
(%)	(10.8)	(7.6)	(11.0)	(14.2)	(13.0)	(10.6)	(7.5)	(0.2)	(7.4)	(4.5)	(3.6)	(3.1)	(2.0)	(1.2)	(1.7)	(1.4)	(100.0)				
25年~	81	68	59	93	75	47	39	4	26	28	14	12	9	5	7	15	582	16	598	114.23	164.89
(%)	(13.9)	(11.7)	(10.1)	(16.0)	(12.9)	(8.1)	(6.7)	(0.7)	(4.5)	(4.8)	(2.4)	(2.1)	(1.5)	(0.9)	(1.2)	(2.6)	(100.0)				
30年~	46	53	25	54	50	27	18		16	15	10	10	4	2	4	5	339	7	346	98.96	108.24
(%)	(13.6)	(15.6)	(7.4)	(15.9)	(14.7)	(8.0)	(5.3)		(4.7)	(4.4)	(2.9)	(2.9)	(1.2)	(0.6)	(1.2)	(1.5)	(100.0)				
35年~	43	33	23	18	22	15	11	1	6	3	5	5	4	2	3	194	3	197	90.11	139.78	
(%)	(22.2)	(17.0)	(11.9)	(9.3)	(11.3)	(7.7)	(5.7)	(0.5)	(3.1)	(1.5)	(2.6)	(2.6)	(2.1)	(1.0)	(1.5)	(1.5)	(100.0)				
40年~	22	9	6	6	5	10	4		1	1		2		1		67		67	64.87	70.55	
(%)	(32.8)	(13.4)	(9.0)	(9.0)	(7.5)	(14.9)	(6.0)		(1.5)	(1.5)		(3.0)		(1.5)		(100.0)					
合計	1,746	2,278	2,296	3,540	3,057	2,485	1,823	66	1,334	997	656	772	365	218	259	285	22,177	495	22,672	112.37	116.88
(%)	(7.9)	(10.3)	(10.4)	(16.0)	(13.8)	(11.2)	(8.2)	(0.3)	(6.0)	(4.5)	(3.0)	(3.5)	(1.6)	(1.0)	(1.2)	(1.3)	(100.0)				
不明	1			2						1						2	6	2	8	485.17	755.57
記載なし																					
(%)																					
総計	1,747	2,278	2,296	3,542	3,057	2,485	1,823	66	1,334	998	656	772	365	218	259	287	22,183	497	22,680	112.47	117.57
(%)	(7.9)	(10.3)	(10.4)	(16.0)	(13.8)	(11.2)	(8.2)	(0.3)	(6.0)	(4.5)	(3.0)	(3.5)	(1.6)	(1.0)	(1.2)	(1.3)	(100.0)				
平均	9.66	8.09	7.97	7.75	7.82	7.76	7.54	7.89	7.67	7.82	8.09	7.97	8.66	8.85	8.65	10.38	8.04	6.97	8.01		
標準偏差	10.06	8.56	7.88	7.57	7.71	7.59	7.45	8.81	7.44	7.67	7.86	7.51	7.90	7.96	7.49	8.36	7.99	7.82	7.98		

数値下の加算内は行方向の合計に対する%です。

##D4255##

(C)Japanese Society for Dialysis Therapy

2016年調査