

表 1201 PTH値(pg/mL) 原疾患別 (透析患者全体) PTH測定法:whole-PTH

原疾患	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	533	643	673	1,059	886	706	532	21	361	282	228	259	133	72	88	115	6,591	133	6,724	118.55	131.03
(%)	(8.1)	(9.8)	(10.2)	(16.1)	(13.4)	(10.7)	(8.1)	(0.3)	(5.5)	(4.3)	(3.5)	(3.9)	(2.0)	(1.1)	(1.3)	(1.7)	(100.0)				
慢性腎盂腎炎	20	32	27	39	34	32	21	1	9	9	9	7	3	4	2	3	252	7	259	105.57	100.28
(%)	(7.9)	(12.7)	(10.7)	(15.5)	(13.5)	(12.7)	(8.3)	(0.4)	(3.6)	(3.6)	(3.6)	(2.8)	(1.2)	(1.6)	(0.8)	(1.2)	(100.0)				
急速進行性糸球体腎炎	24	25	19	31	38	22	10		15	9	2	4	3	2	4	1	209	3	212	98.26	94.94
(%)	(11.5)	(12.0)	(9.1)	(14.8)	(18.2)	(10.5)	(4.8)		(7.2)	(4.3)	(1.0)	(1.9)	(1.4)	(1.0)	(1.9)	(0.5)	(100.0)				
妊娠腎/妊娠中毒症	10	15	17	18	21	8	11		6	3	1	4	1	1		4	120	1	121	119.98	208.03
(%)	(8.3)	(12.5)	(14.2)	(15.0)	(17.5)	(6.7)	(9.2)		(5.0)	(2.5)	(0.8)	(3.3)	(0.8)	(0.8)		(3.3)	(100.0)				
その他の分類不能の腎炎	10	7	5	12	18	14	5	1	10	5	2	6	3	2	1	4	105	2	107	146.38	169.81
(%)	(9.5)	(6.7)	(4.8)	(11.4)	(17.1)	(13.3)	(4.8)	(1.0)	(9.5)	(4.8)	(1.9)	(5.7)	(2.9)	(1.9)	(1.0)	(3.8)	(100.0)				
多発性嚢胞腎	75	81	89	137	112	74	95	3	56	55	25	42	26	12	12	5	899	13	912	118.73	125.28
(%)	(8.3)	(9.0)	(9.9)	(15.2)	(12.5)	(8.2)	(10.6)	(0.3)	(6.2)	(6.1)	(2.8)	(4.7)	(2.9)	(1.3)	(1.3)	(0.6)	(100.0)				
腎硬化症	167	258	250	382	315	218	176	10	133	109	69	80	32	19	19	34	2,271	47	2,318	110.22	115.57
(%)	(7.4)	(11.4)	(11.0)	(16.8)	(13.9)	(9.6)	(7.7)	(0.4)	(5.9)	(4.8)	(3.0)	(3.5)	(1.4)	(0.8)	(0.8)	(1.5)	(100.0)				
悪性高血圧	21	26	24	19	35	32	19	1	11	7	5	10	3	1	2	4	220	5	225	113.25	127.21
(%)	(9.5)	(11.8)	(10.9)	(8.6)	(15.9)	(14.5)	(8.6)	(0.5)	(5.0)	(3.2)	(2.3)	(4.5)	(1.4)	(0.5)	(0.9)	(1.8)	(100.0)				
糖尿病性腎症	643	856	880	1,358	1,168	1,042	699	19	534	377	224	246	111	68	83	55	8,363	197	8,560	105.08	93.92
(%)	(7.7)	(10.2)	(10.5)	(16.2)	(14.0)	(12.5)	(8.4)	(0.2)	(6.4)	(4.5)	(2.7)	(2.9)	(1.3)	(0.8)	(1.0)	(0.7)	(100.0)				
SLE腎炎	12	24	19	28	31	19	9		7	9	7	3	6	2	1	4	181	3	184	120.29	182.98
(%)	(6.6)	(13.3)	(10.5)	(15.5)	(17.1)	(10.5)	(5.0)		(3.9)	(5.0)	(3.9)	(1.7)	(3.3)	(1.1)	(0.6)	(2.2)	(100.0)				
アミロイド腎	3	9	6	7	4	4	3		1	1			1				39		39	72.87	57.41
(%)	(7.7)	(23.1)	(15.4)	(17.9)	(10.3)	(10.3)	(7.7)		(2.6)	(2.6)			(2.6)				(100.0)				
痛風腎	5	6	5	12	16	7	9	1	2	4	2	4	1		2	4	80	3	83	148.83	193.53
(%)	(6.3)	(7.5)	(6.3)	(15.0)	(20.0)	(8.8)	(11.3)	(1.3)	(2.5)	(5.0)	(2.5)	(5.0)	(1.3)		(2.5)	(5.0)	(100.0)				
先天性代謝異常による腎不全	2	1	5	2	1	3	5		1	1		1		1			22		22	107.91	90.76
(%)	(9.1)	(4.5)	(22.7)	(9.1)	(4.5)	(13.6)	(22.7)		(4.5)	(4.5)		(4.5)		(4.5)			(100.0)				
腎・尿路結核	1	2	1	1	1	4	1		1								12		12	82.42	47.72
(%)	(8.3)	(16.7)	(8.3)	(8.3)	(8.3)	(33.3)	(8.3)		(8.3)								(100.0)				
腎・尿路結石	3	3	3	11	2		5	1	1	1	1	3	2	1	1		38	2	40	126.08	112.70
(%)	(7.9)	(7.9)	(7.9)	(28.9)	(5.3)		(13.2)	(2.6)	(2.6)	(2.6)	(2.6)	(7.9)	(5.3)	(2.6)	(2.6)		(100.0)				
腎・尿路腫瘍	2	11	4	6	6	4	5		4	2	4	2		1	1		54		54	129.76	134.45
(%)	(3.7)	(20.4)	(7.4)	(11.1)	(11.1)	(7.4)	(9.3)		(7.4)	(3.7)	(7.4)	(3.7)		(1.9)	(1.9)		(100.0)				
閉塞性尿路障害	8	2	7	7	6	11	4		4	4		1	1	1		1	57	1	58	106.33	102.37
(%)	(14.0)	(3.5)	(12.3)	(12.3)	(10.5)	(19.3)	(7.0)		(7.0)	(7.0)		(1.8)	(1.8)	(1.8)		(1.8)	(100.0)				
骨髄腫	3	1	3	3	1	1	1	2					2		1		18	2	20	115.17	127.50
(%)	(16.7)	(5.6)	(16.7)	(16.7)	(5.6)	(5.6)	(5.6)	(11.1)					(11.1)		(5.6)		(100.0)				
腎形成不全	4	4	3	10	8	4	9		5	2	2	2		1	5		59		59	134.05	112.72
(%)	(6.8)	(6.8)	(5.1)	(16.9)	(13.6)	(6.8)	(15.3)		(8.5)	(3.4)	(3.4)	(3.4)		(1.7)	(8.5)		(100.0)				
不明	141	187	184	282	253	197	151	3	118	86	55	59	29	17	26	38	1,826	62	1,888	119.56	139.74
(%)	(7.7)	(10.2)	(10.1)	(15.4)	(13.9)	(10.8)	(8.3)	(0.2)	(6.5)	(4.7)	(3.0)	(3.2)	(1.6)	(0.9)	(1.4)	(2.1)	(100.0)				
再導入	16	19	21	28	20	23	8	1	18	8	6	9	2	3	3	6	191	1	192	127.15	135.66
(%)	(8.4)	(9.9)	(11.0)	(14.7)	(10.5)	(12.0)	(4.2)	(0.5)	(9.4)	(4.2)	(3.1)	(4.7)	(1.0)	(1.6)	(1.6)	(3.1)	(100.0)				
その他	44	66	51	90	81	60	45	2	38	24	14	30	6	10	8	7	576	15	591	114.01	105.94
(%)	(7.6)	(11.5)	(8.9)	(15.6)	(14.1)	(10.4)	(7.8)	(0.3)	(6.6)	(4.2)	(2.4)	(5.2)	(1.0)	(1.7)	(1.4)	(1.2)	(100.0)				
合計	1,747	2,278	2,296	3,542	3,057	2,485	1,823	66	1,334	998	656	772	365	218	259	287	22,183	497	22,680	112.47	117.57
(%)	(7.9)	(10.3)	(10.4)	(16.0)	(13.8)	(11.2)	(8.2)	(0.3)	(6.0)	(4.5)	(3.0)	(3.5)	(1.6)	(1.0)	(1.2)	(1.3)	(100.0)				
記載なし																					
(%)																					
総計	1,747	2,278	2,296	3,542	3,057	2,485	1,823	66	1,334	998	656	772	365	218	259	287	22,183	497	22,680	112.47	117.57
(%)	(7.9)	(10.3)	(10.4)	(16.0)	(13.8)	(11.2)	(8.2)	(0.3)	(6.0)	(4.5)	(3.0)	(3.5)	(1.6)	(1.0)	(1.2)	(1.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する％です。

##D4256##

(C)Japanese Society for Dialysis Therapy

2016年調査