

表 1242 総コレステロール濃度(mg/dL) 治療方法(新分類)別(透析患者全体)

治療方法 (新分類)	100未満	100~	120~	140~	160~	180~	200~	220~	240~	260~	合計	記載なし	総計	平均	標準偏差
施設血液透析	6,910	19,177	34,864	39,904	32,673	20,857	11,045	4,920	2,010	1,470	173,830	59,874	233,704	155.51	36.15
(%)	(4.0)	(11.0)	(20.1)	(23.0)	(18.8)	(12.0)	(6.4)	(2.8)	(1.2)	(0.8)	(100.0)				
Off-line HDF	149	410	671	745	648	412	229	94	40	29	3,427	1,210	4,637	155.28	36.70
(%)	(4.3)	(12.0)	(19.6)	(21.7)	(18.9)	(12.0)	(6.7)	(2.7)	(1.2)	(0.8)	(100.0)				
On-line HDF	1,313	4,130	8,369	10,289	9,257	6,173	3,264	1,525	620	386	45,326	13,790	59,116	159.40	35.75
(%)	(2.9)	(9.1)	(18.5)	(22.7)	(20.4)	(13.6)	(7.2)	(3.4)	(1.4)	(0.9)	(100.0)				
Push/Pull HDF	1	2	4	13	11	8	7	2	1		49	17	66	170.10	32.49
(%)	(2.0)	(4.1)	(8.2)	(26.5)	(22.4)	(16.3)	(14.3)	(4.1)	(2.0)		(100.0)				
バイオフィルトレーション	10	26	28	39	34	18	14	5	7	2	183	69	252	156.77	40.97
(%)	(5.5)	(14.2)	(15.3)	(21.3)	(18.6)	(9.8)	(7.7)	(2.7)	(3.8)	(1.1)	(100.0)				
IHDF	289	941	1,742	2,019	1,573	1,053	576	219	110	43	8,565	2,163	10,728	155.49	34.94
(%)	(3.4)	(11.0)	(20.3)	(23.6)	(18.4)	(12.3)	(6.7)	(2.6)	(1.3)	(0.5)	(100.0)				
血液濾過	2	2	1	9	1	1	2				18	1	19	146.39	32.55
(%)	(11.1)	(11.1)	(5.6)	(50.0)	(5.6)	(5.6)	(11.1)				(100.0)				
血液吸着透析 (リクセル等使用)	19	75	198	231	240	151	97	52	18	8	1,089	266	1,355	163.86	35.48
(%)	(1.7)	(6.9)	(18.2)	(21.2)	(22.0)	(13.9)	(8.9)	(4.8)	(1.7)	(0.7)	(100.0)				
在宅血液透析	5	19	32	73	86	83	60	33	18	16	425	192	617	181.82	42.26
(%)	(1.2)	(4.5)	(7.5)	(17.2)	(20.2)	(19.5)	(14.1)	(7.8)	(4.2)	(3.8)	(100.0)				
腹膜透析 (CAPD)	30	117	256	433	524	482	284	204	108	101	2,539	2,434	4,973	179.30	41.98
(%)	(1.2)	(4.6)	(10.1)	(17.1)	(20.6)	(19.0)	(11.2)	(8.0)	(4.3)	(4.0)	(100.0)				
腹膜透析 (APD)	25	65	186	272	301	235	177	93	36	36	1,426	1,211	2,637	173.88	39.87
(%)	(1.8)	(4.6)	(13.0)	(19.1)	(21.1)	(16.5)	(12.4)	(6.5)	(2.5)	(2.5)	(100.0)				
腹膜透析 (CCPD)	5	35	63	110	124	96	65	37	10	18	563	442	1,005	174.30	40.69
(%)	(0.9)	(6.2)	(11.2)	(19.5)	(22.0)	(17.1)	(11.5)	(6.6)	(1.8)	(3.2)	(100.0)				
合計	8,758	24,999	46,414	54,137	45,472	29,569	15,820	7,184	2,978	2,109	237,440	81,669	319,109	156.74	36.32
(%)	(3.7)	(10.5)	(19.5)	(22.8)	(19.2)	(12.5)	(6.7)	(3.0)	(1.3)	(0.9)	(100.0)				
記載なし															
(%)															
総計	8,758	24,999	46,414	54,137	45,472	29,569	15,820	7,184	2,978	2,109	237,440	81,669	319,109	156.74	36.32
(%)	(3.7)	(10.5)	(19.5)	(22.8)	(19.2)	(12.5)	(6.7)	(3.0)	(1.3)	(0.9)	(100.0)				

数値下の括弧内は行方向の合計に対する%です。

*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

##D4411##

(C)Japanese Society for Dialysis Therapy

2016年調査