

表 1245 総コレステロール濃度(mg/dL) 年齢(歳)別 (透析患者全体)

年齢	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
15歳未満		1	2	5	5	13	10	7	4	7	54	39	93	211.06	58.65
(%)		(1.9)	(3.7)	(9.3)	(9.3)	(24.1)	(18.5)	(13.0)	(7.4)	(13.0)	(100.0)				
15歳～	21	65	125	175	108	79	43	13	10	10	649	262	911	156.92	38.50
(%)	(3.2)	(10.0)	(19.3)	(27.0)	(16.6)	(12.2)	(6.6)	(2.0)	(1.5)	(1.5)	(100.0)				
30歳～	210	756	1,714	2,255	2,166	1,448	757	364	172	124	9,966	3,456	13,422	162.75	36.32
(%)	(2.1)	(7.6)	(17.2)	(22.6)	(21.7)	(14.5)	(7.6)	(3.7)	(1.7)	(1.2)	(100.0)				
45歳～	1,106	3,574	7,238	9,204	8,672	6,373	3,613	1,782	724	511	42,797	14,547	57,344	162.82	37.18
(%)	(2.6)	(8.4)	(16.9)	(21.5)	(20.3)	(14.9)	(8.4)	(4.2)	(1.7)	(1.2)	(100.0)				
60歳～	3,808	10,966	20,329	24,051	20,319	13,423	7,267	3,336	1,376	954	105,829	35,800	141,629	157.35	36.42
(%)	(3.6)	(10.4)	(19.2)	(22.7)	(19.2)	(12.7)	(6.9)	(3.2)	(1.3)	(0.9)	(100.0)				
75歳～	3,386	9,060	16,010	17,362	13,393	7,821	3,928	1,606	652	479	73,697	25,916	99,613	151.92	34.96
(%)	(4.6)	(12.3)	(21.7)	(23.6)	(18.2)	(10.6)	(5.3)	(2.2)	(0.9)	(0.6)	(100.0)				
90歳～	227	577	996	1,085	809	412	202	76	40	24	4,448	1,647	6,095	149.67	34.13
(%)	(5.1)	(13.0)	(22.4)	(24.4)	(18.2)	(9.3)	(4.5)	(1.7)	(0.9)	(0.5)	(100.0)				
合計	8,758	24,999	46,414	54,137	45,472	29,569	15,820	7,184	2,978	2,109	237,440	81,667	319,107	156.74	36.32
(%)	(3.7)	(10.5)	(19.5)	(22.8)	(19.2)	(12.5)	(6.7)	(3.0)	(1.3)	(0.9)	(100.0)				
不明															
(%)															
記載なし												2	2		
(%)															
総計	8,758	24,999	46,414	54,137	45,472	29,569	15,820	7,184	2,978	2,109	237,440	81,669	319,109	156.74	36.32
(%)	(3.7)	(10.5)	(19.5)	(22.8)	(19.2)	(12.5)	(6.7)	(3.0)	(1.3)	(0.9)	(100.0)				
平均	70.85	69.89	69.26	68.46	67.53	66.54	66.11	65.32	65.00	64.85	68.11	68.25	68.15		
標準偏差	11.61	11.97	12.28	12.42	12.53	12.52	12.38	12.29	12.61	13.30	12.43	12.62	12.48		

数値下のかっこ内は行方向の合計に対する%です。

##D4414##

(C)Japanese Society for Dialysis Therapy

2016年調査