

表 1260 総コレステロール濃度(mg/dL) 年齢(歳)別 (腹膜透析患者)

年齢	100未満	100~	120~	140~	160~	180~	200~	220~	240~	260~	合計	記載なし	総計	平均	標準偏差
15歳未満				3	5	13	10	7	4	6	48	37	85	215.79	48.41
(%)				(6.3)	(10.4)	(27.1)	(20.8)	(14.6)	(8.3)	(12.5)	(100.0)				
15歳~	2	2	8	9	8	4	9	1	1	3	47	47	94	175.17	53.46
(%)	(4.3)	(4.3)	(17.0)	(19.1)	(17.0)	(8.5)	(19.1)	(2.1)	(2.1)	(6.4)	(100.0)				
30歳~	2	16	39	51	75	51	38	20	19	9	320	288	608	177.90	41.25
(%)	(0.6)	(5.0)	(12.2)	(15.9)	(23.4)	(15.9)	(11.9)	(6.3)	(5.9)	(2.8)	(100.0)				
45歳~	14	55	119	219	256	235	143	102	33	39	1,215	1,068	2,283	177.91	40.26
(%)	(1.2)	(4.5)	(9.8)	(18.0)	(21.1)	(19.3)	(11.8)	(8.4)	(2.7)	(3.2)	(100.0)				
60歳~	31	106	235	364	408	347	215	146	74	71	1,997	1,721	3,718	176.02	41.85
(%)	(1.6)	(5.3)	(11.8)	(18.2)	(20.4)	(17.4)	(10.8)	(7.3)	(3.7)	(3.6)	(100.0)				
75歳~	11	36	96	162	190	146	102	54	22	27	846	855	1,701	175.37	39.44
(%)	(1.3)	(4.3)	(11.3)	(19.1)	(22.5)	(17.3)	(12.1)	(6.4)	(2.6)	(3.2)	(100.0)				
90歳~	2	8	7	7	17	9	4	1			55	71	126	177.98	33.54
(%)	(3.6)	(14.5)	(12.7)	(12.7)	(30.9)	(16.4)	(7.3)	(1.8)			(100.0)				
合計	60	217	505	815	949	813	526	334	154	155	4,528	4,087	8,615	176.97	41.25
(%)	(1.3)	(4.8)	(11.2)	(18.0)	(21.0)	(18.0)	(11.6)	(7.4)	(3.4)	(3.4)	(100.0)				
不明															
(%)															
記載なし															
(%)															
総計	60	217	505	815	949	813	526	334	154	155	4,528	4,087	8,615	176.97	41.25
(%)	(1.3)	(4.8)	(11.2)	(18.0)	(21.0)	(18.0)	(11.6)	(7.4)	(3.4)	(3.4)	(100.0)				
平均	63.80	63.15	63.53	63.67	63.05	62.68	62.46	62.13	60.36	60.49	62.85	63.50	63.16		
標準偏差	13.21	13.02	13.56	13.29	13.71	14.82	15.55	14.57	16.62	17.13	14.32	14.66	14.48		

数値下のカッコ内は行方向の合計に対する%です。

##D4441##

(C)Japanese Society for Dialysis Therapy

2016年調査