

表 1271 HDL-C濃度(mg/dL) 医療機関別 (透析患者全体)

医療機関	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
国公立大学	4	36	95	113	96	48	25	14	9	5	445	679	1,124	49.41	16.94
(%)	(0.9)	(8.1)	(21.3)	(25.4)	(21.6)	(10.8)	(5.6)	(3.1)	(2.0)	(1.1)	(100.0)				
私立大学	11	111	350	414	329	228	110	69	29	28	1,679	2,007	3,686	51.22	18.15
(%)	(0.7)	(6.6)	(20.8)	(24.7)	(19.6)	(13.6)	(6.6)	(4.1)	(1.7)	(1.7)	(100.0)				
国立病院機構等	2	30	88	98	87	61	22	8	12	9	417	494	911	51.04	18.89
(%)	(0.5)	(7.2)	(21.1)	(23.5)	(20.9)	(14.6)	(5.3)	(1.9)	(2.9)	(2.2)	(100.0)				
県市町村立・国保	47	893	2,832	3,323	2,468	1,437	645	299	130	95	12,169	7,579	19,748	48.66	15.97
(%)	(0.4)	(7.3)	(23.3)	(27.3)	(20.3)	(11.8)	(5.3)	(2.5)	(1.1)	(0.8)	(100.0)				
JCHO(旧社会保険)等	8	152	545	595	466	264	143	64	26	31	2,294	1,471	3,765	49.48	16.85
(%)	(0.3)	(6.6)	(23.8)	(25.9)	(20.3)	(11.5)	(6.2)	(2.8)	(1.1)	(1.4)	(100.0)				
厚生連等	27	497	1,535	1,867	1,308	802	387	157	76	54	6,710	2,675	9,385	48.78	16.22
(%)	(0.4)	(7.4)	(22.9)	(27.8)	(19.5)	(12.0)	(5.8)	(2.3)	(1.1)	(0.8)	(100.0)				
その他公的	26	477	1,438	1,714	1,308	764	408	168	90	51	6,444	4,414	10,858	49.31	16.69
(%)	(0.4)	(7.4)	(22.3)	(26.6)	(20.3)	(11.9)	(6.3)	(2.6)	(1.4)	(0.8)	(100.0)				
私立総合	23	353	1,200	1,361	1,089	693	337	134	70	43	5,303	2,510	7,813	49.59	16.13
(%)	(0.4)	(6.7)	(22.6)	(25.7)	(20.5)	(13.1)	(6.4)	(2.5)	(1.3)	(0.8)	(100.0)				
私立	389	5,414	15,324	16,756	11,995	6,799	3,228	1,533	700	605	62,743	28,846	91,589	48.01	16.51
(%)	(0.6)	(8.6)	(24.4)	(26.7)	(19.1)	(10.8)	(5.1)	(2.4)	(1.1)	(1.0)	(100.0)				
私立診療所	292	9,422	29,150	33,354	24,858	14,799	7,589	3,474	1,494	1,256	125,688	44,542	170,230	49.15	16.49
(%)	(0.2)	(7.5)	(23.2)	(26.5)	(19.8)	(11.8)	(6.0)	(2.8)	(1.2)	(1.0)	(100.0)				
総計	829	17,385	52,557	59,595	44,004	25,895	12,894	5,920	2,636	2,177	223,892	95,217	319,109	48.83	16.49
(%)	(0.4)	(7.8)	(23.5)	(26.6)	(19.7)	(11.6)	(5.8)	(2.6)	(1.2)	(1.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

##D4517##

(C)Japanese Society for Dialysis Therapy

2016年調査