

表 1345 透析前拡張期血圧(mmHg) 医療機関別 (施設血液透析患者 透析回数週3回)

医療機関	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
国公立大学	1	4	60	205	90	42	14	2		418	14	432	73.67	15.08
(%)	(0.2)	(1.0)	(14.4)	(49.0)	(21.5)	(10.0)	(3.3)	(0.5)		(100.0)				
私立大学		10	126	641	317	161	102	6	2	1,365	192	1,557	77.21	15.25
(%)		(0.7)	(9.2)	(47.0)	(23.2)	(11.8)	(7.5)	(0.4)	(0.1)	(100.0)				
国立病院機構等		2	44	169	77	54	28	2		376	80	456	77.09	15.34
(%)		(0.5)	(11.7)	(44.9)	(20.5)	(14.4)	(7.4)	(0.5)		(100.0)				
県市町村立・国保	6	47	1,044	5,252	2,820	1,521	701	60	5	11,456	1,067	12,523	77.66	14.55
(%)	(0.1)	(0.4)	(9.1)	(45.8)	(24.6)	(13.3)	(6.1)	(0.5)	(0.0)	(100.0)				
JCHO(旧社会保険)等	1	7	195	1,095	596	333	155	8	1	2,391	56	2,447	78.32	14.27
(%)	(0.0)	(0.3)	(8.2)	(45.8)	(24.9)	(13.9)	(6.5)	(0.3)	(0.0)	(100.0)				
厚生連等	3	14	570	2,715	1,471	811	425	29	3	6,041	361	6,402	78.01	14.80
(%)	(0.0)	(0.2)	(9.4)	(44.9)	(24.4)	(13.4)	(7.0)	(0.5)	(0.0)	(100.0)				
その他公的	2	29	600	2,866	1,456	789	402	33	1	6,178	365	6,543	77.32	14.78
(%)	(0.0)	(0.5)	(9.7)	(46.4)	(23.6)	(12.8)	(6.5)	(0.5)	(0.0)	(100.0)				
私立総合	2	17	446	2,170	1,114	613	299	20		4,681	177	4,858	77.49	14.57
(%)	(0.0)	(0.4)	(9.5)	(46.4)	(23.8)	(13.1)	(6.4)	(0.4)		(100.0)				
私立	21	280	6,112	28,474	13,672	7,032	3,356	212	10	59,169	2,915	62,084	76.44	14.49
(%)	(0.0)	(0.5)	(10.3)	(48.1)	(23.1)	(11.9)	(5.7)	(0.4)	(0.0)	(100.0)				
私立診療所	30	268	8,414	49,356	25,837	13,893	6,667	462	31	104,958	7,276	112,234	77.80	14.24
(%)	(0.0)	(0.3)	(8.0)	(47.0)	(24.6)	(13.2)	(6.4)	(0.4)	(0.0)	(100.0)				
総計	66	678	17,611	92,943	47,450	25,249	12,149	834	53	197,033	12,503	209,536	77.36	14.40
(%)	(0.0)	(0.3)	(8.9)	(47.2)	(24.1)	(12.8)	(6.2)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

##D4824##

(C)Japanese Society for Dialysis Therapy

2016年調査