

表 1371 透析前脈拍(拍/分) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

透析歴	40未満	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
2年未満	6	111	839	2,367	2,827	1,979	889	258	70	30	9,376	642	10,018	75.00	13.06
(%)	(0.1)	(1.2)	(8.9)	(25.2)	(30.2)	(21.1)	(9.5)	(2.8)	(0.7)	(0.3)	(100.0)				
2年～	11	146	1,174	3,669	4,528	3,232	1,441	455	89	39	14,784	1,154	15,938	75.42	12.88
(%)	(0.1)	(1.0)	(7.9)	(24.8)	(30.6)	(21.9)	(9.7)	(3.1)	(0.6)	(0.3)	(100.0)				
5年～	9	125	1,229	4,009	4,907	3,657	1,539	515	119	50	16,159	1,423	17,582	75.70	12.94
(%)	(0.1)	(0.8)	(7.6)	(24.8)	(30.4)	(22.6)	(9.5)	(3.2)	(0.7)	(0.3)	(100.0)				
10年～	10	79	725	2,338	2,934	2,017	810	248	64	32	9,257	859	10,116	75.11	12.70
(%)	(0.1)	(0.9)	(7.8)	(25.3)	(31.7)	(21.8)	(8.8)	(2.7)	(0.7)	(0.3)	(100.0)				
15年～	3	41	424	1,486	1,812	1,111	468	151	37	9	5,542	516	6,058	74.70	12.33
(%)	(0.1)	(0.7)	(7.7)	(26.8)	(32.7)	(20.0)	(8.4)	(2.7)	(0.7)	(0.2)	(100.0)				
20年～	1	14	282	934	1,163	735	273	92	31	13	3,538	319	3,857	74.90	12.65
(%)	(0.0)	(0.4)	(8.0)	(26.4)	(32.9)	(20.8)	(7.7)	(2.6)	(0.9)	(0.4)	(100.0)				
25年～	3	17	169	548	715	421	169	51	14	6	2,113	232	2,345	74.64	12.42
(%)	(0.1)	(0.8)	(8.0)	(25.9)	(33.8)	(19.9)	(8.0)	(2.4)	(0.7)	(0.3)	(100.0)				
30年～		12	104	311	402	253	108	36	6	5	1,237	130	1,367	75.02	12.69
(%)		(1.0)	(8.4)	(25.1)	(32.5)	(20.5)	(8.7)	(2.9)	(0.5)	(0.4)	(100.0)				
35年～	1	5	57	195	216	129	67	25	7	6	708	72	780	75.21	13.82
(%)	(0.1)	(0.7)	(8.1)	(27.5)	(30.5)	(18.2)	(9.5)	(3.5)	(1.0)	(0.8)	(100.0)				
40年～			20	71	93	55	18	4	2	2	265	22	287	74.81	12.75
(%)			(7.5)	(26.8)	(35.1)	(20.8)	(6.8)	(1.5)	(0.8)	(0.8)	(100.0)				
合計	44	550	5,023	15,928	19,597	13,589	5,782	1,835	439	192	62,979	5,369	68,348	75.25	12.83
(%)	(0.1)	(0.9)	(8.0)	(25.3)	(31.1)	(21.6)	(9.2)	(2.9)	(0.7)	(0.3)	(100.0)				
不明		1	2	6	4	7		3	1		24	2	26	77.75	17.27
(%)		(4.2)	(8.3)	(25.0)	(16.7)	(29.2)		(12.5)	(4.2)		(100.0)				
記載なし															
(%)															
総計	44	551	5,025	15,934	19,601	13,596	5,782	1,838	440	192	63,003	5,371	68,374	75.25	12.83
(%)	(0.1)	(0.9)	(8.0)	(25.3)	(31.1)	(21.6)	(9.2)	(2.9)	(0.7)	(0.3)	(100.0)				
平均	8.93	7.88	8.94	9.24	9.31	8.84	8.60	8.75	9.27	9.89	9.07	9.92	9.14		
標準偏差	8.45	7.91	8.55	8.56	8.58	8.22	8.18	8.24	8.61	9.71	8.45	8.71	8.47		

数値下のかっこ内は行方向の合計に対する%です。

##D4932##

(C)Japanese Society for Dialysis Therapy

2016年調査