

表 1402 PET施行の有無 原疾患別 (腹膜透析単独患者)

原疾患	なし	PET施行	Fast PETのみ	合計	不明	記載なし	総計
慢性糸球体腎炎	438	667	277	1,382	15	613	2,010
(%)	(31.7)	(48.3)	(20.0)	(100.0)			
慢性腎孟腎炎	15	32	14	61	1	19	81
(%)	(24.6)	(52.5)	(23.0)	(100.0)			
急速進行性糸球体腎炎	16	17	3	36		17	53
(%)	(44.4)	(47.2)	(8.3)	(100.0)			
妊娠腎/妊娠中毒症	3	8	4	15		2	17
(%)	(20.0)	(53.3)	(26.7)	(100.0)			
その他の分類不能の腎炎	14	18	6	38	1	15	54
(%)	(36.8)	(47.4)	(15.8)	(100.0)			
多発性囊胞腎	53	70	35	158		70	228
(%)	(33.5)	(44.3)	(22.2)	(100.0)			
腎硬化症	242	266	147	655	2	286	943
(%)	(36.9)	(40.6)	(22.4)	(100.0)			
悪性高血圧	19	28	12	59	1	27	87
(%)	(32.2)	(47.5)	(20.3)	(100.0)			
糖尿病性腎症	593	698	239	1,530	16	701	2,247
(%)	(38.8)	(45.6)	(15.6)	(100.0)			
SLE腎炎	13	11	5	29		17	46
(%)	(44.8)	(37.9)	(17.2)	(100.0)			
アミロイド腎	4	3	3	10		4	14
(%)	(40.0)	(30.0)	(30.0)	(100.0)			
痛風腎	3	4	4	11		4	15
(%)	(27.3)	(36.4)	(36.4)	(100.0)			
先天性代謝異常による腎不全	4	5	2	11	1	3	15
(%)	(36.4)	(45.5)	(18.2)	(100.0)			
腎・尿路結核						1	1
(%)							
腎・尿路結石	6	4	1	11		6	17
(%)	(54.5)	(36.4)	(9.1)	(100.0)			
腎・尿路腫瘍	4	3		7		2	9
(%)	(57.1)	(42.9)		(100.0)			
閉塞性尿路障害	4	6	4	14		3	17
(%)	(28.6)	(42.9)	(28.6)	(100.0)			
骨髄腫	3		2	5		2	7
(%)	(60.0)		(40.0)	(100.0)			
腎形成不全	14	18	4	36		22	58
(%)	(38.9)	(50.0)	(11.1)	(100.0)			
不明	195	216	70	481	4	251	736
(%)	(40.5)	(44.9)	(14.6)	(100.0)			
再導入	12	23	2	37		13	50
(%)	(32.4)	(62.2)	(5.4)	(100.0)			
その他	49	76	23	148	1	77	226
(%)	(33.1)	(51.4)	(15.5)	(100.0)			
合計	1,704	2,173	857	4,734	42	2,155	6,931
(%)	(36.0)	(45.9)	(18.1)	(100.0)			
記載なし							
(%)							
総計	1,704	2,173	857	4,734	42	2,155	6,931
(%)	(36.0)	(45.9)	(18.1)	(100.0)			

数値下の括弧内は行方向の合計に対する%です。

##D5124##

(C)Japanese Society for Dialysis Therapy

2016年調査