

表 1519 2016年中の出口部感染発症率(回/1患者・年) 原疾患別(腹膜透析単独患者)

原疾患	0	1.0~	2.0~	3.0~	4.0~	5.0~	合計	不明	記載なし	総計	平均	標準偏差
慢性糸球体腎炎	1,057	161	47	16	9	9	1,299		711	2,010	0.31	0.81
(%)	(81.4)	(12.4)	(3.6)	(1.2)	(0.7)	(0.7)	(100.0)					
慢性腎孟腎炎	44	9	3	2			58		23	81	0.37	0.75
(%)	(75.9)	(15.5)	(5.2)	(3.4)			(100.0)					
急速進行性糸球体腎炎	30	3	2				35		18	53	0.21	0.55
(%)	(85.7)	(8.6)	(5.7)				(100.0)					
妊娠腎/妊娠中毒症	10	2	2				14		3	17	0.43	0.76
(%)	(71.4)	(14.3)	(14.3)				(100.0)					
その他の分類不能の腎炎	30	2	3	2			37		17	54	0.38	0.86
(%)	(81.1)	(5.4)	(8.1)	(5.4)			(100.0)					
多発性囊胞腎	111	22	7	3	1	4	148		80	228	0.62	1.98
(%)	(75.0)	(14.9)	(4.7)	(2.0)	(0.7)	(2.7)	(100.0)					
腎硬化症	510	72	20	13	3	3	621		322	943	0.30	0.79
(%)	(82.1)	(11.6)	(3.2)	(2.1)	(0.5)	(0.5)	(100.0)					
悪性高血圧	44	9	1		1		55		32	87	0.27	0.68
(%)	(80.0)	(16.4)	(1.8)		(1.8)		(100.0)					
糖尿病性腎症	1,090	180	76	20	9	15	1,390		857	2,247	0.43	1.31
(%)	(78.4)	(12.9)	(5.5)	(1.4)	(0.6)	(1.1)	(100.0)					
SLE腎炎	19	5		1	1		26		20	46	0.49	1.01
(%)	(73.1)	(19.2)		(3.8)	(3.8)		(100.0)					
アミロイド腎	7	1	2				10		4	14	0.57	0.92
(%)	(70.0)	(10.0)	(20.0)				(100.0)					
痛風腎	9	1	1				11		4	15	0.27	0.65
(%)	(81.8)	(9.1)	(9.1)				(100.0)					
先天性代謝異常による腎不全	12						12		3	15		
(%)	(100.0)						(100.0)					
腎・尿路結核									1	1		
(%)												
腎・尿路結石	9	1	1				11		6	17	0.27	0.65
(%)	(81.8)	(9.1)	(9.1)				(100.0)					
腎・尿路腫瘍	7						7		2	9		
(%)	(100.0)						(100.0)					
閉塞性尿路障害	8	3		1			12		5	17	0.50	0.90
(%)	(66.7)	(25.0)		(8.3)			(100.0)					
骨髄腫	4	1		1			6		1	7	0.67	1.21
(%)	(66.7)	(16.7)		(16.7)			(100.0)					
腎形成不全	28	1	4				33		25	58	0.27	0.67
(%)	(84.8)	(3.0)	(12.1)				(100.0)					
不明	373	45	12	9	3	3	445		291	736	0.32	1.08
(%)	(83.8)	(10.1)	(2.7)	(2.0)	(0.7)	(0.7)	(100.0)					
再導入	21	6					27		23	50	0.25	0.49
(%)	(77.8)	(22.2)					(100.0)					
その他	105	21	4	3	1		134		92	226	0.32	0.73
(%)	(78.4)	(15.7)	(3.0)	(2.2)	(0.7)		(100.0)					
合計	3,528	545	185	71	28	34	4,391		2,540	6,931	0.36	1.07
(%)	(80.3)	(12.4)	(4.2)	(1.6)	(0.6)	(0.8)	(100.0)					
記載なし												
(%)												
総計	3,528	545	185	71	28	34	4,391		2,540	6,931	0.36	1.07
(%)	(80.3)	(12.4)	(4.2)	(1.6)	(0.6)	(0.8)	(100.0)					

数値下のかっこ内は行方向の合計に対する%です。
個々の患者の出口部感染発症率(回/1患者・年)は、1.0未満の数値が0となるため、「0」と表示しています。

#D6021##

(C)Japanese Society for Dialysis Therapy

2016年調査