

表 1577 腹膜炎罹患回数(回/年) 年齢(歳)別 (腹膜透析患者)

年齢	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
15歳未満	50	8				1					59		26	85
(%)	(84.7)	(13.6)				(1.7)					(100.0)			
15歳～	55	3		2							60		34	94
(%)	(91.7)	(5.0)		(3.3)							(100.0)			
30歳～	351	34	4	2							391	1	216	608
(%)	(89.8)	(8.7)	(1.0)	(0.5)							(100.0)			
45歳～	1,241	159	28	3	1		1		1	1	1,435		848	2,283
(%)	(86.5)	(11.1)	(2.0)	(0.2)	(0.1)		(0.1)		(0.1)	(0.1)	(100.0)			
60歳～	2,087	267	55	16	2	1					2,428	1	1,289	3,718
(%)	(86.0)	(11.0)	(2.3)	(0.7)	(0.1)	(0.0)					(100.0)			
75歳～	912	163	26	4	1						1,106	1	594	1,701
(%)	(82.5)	(14.7)	(2.4)	(0.4)	(0.1)						(100.0)			
90歳～	57	11	4								72		54	126
(%)	(79.2)	(15.3)	(5.6)								(100.0)			
合計	4,753	645	117	27	4	2	1		1	1	5,551	3	3,061	8,615
(%)	(85.6)	(11.6)	(2.1)	(0.5)	(0.1)	(0.0)	(0.0)		(0.0)	(0.0)	(100.0)			
不明														
(%)														
記載なし														
(%)														
総計	4,753	645	117	27	4	2	1		1	1	5,551	3	3,061	8,615
(%)	(85.6)	(11.6)	(2.1)	(0.5)	(0.1)	(0.0)	(0.0)		(0.0)	(0.0)	(100.0)			
平均	62.93	64.78	66.56	61.11	65.25	39.50	53.00		54.00	52.00	63.20	59.33	63.08	63.16
標準偏差	14.49	14.56	12.13	16.68	14.27	44.55					14.50	25.89	14.45	14.48

数値下のかっこ内は行方向の合計に対する%です。

##D6513##

(C)Japanese Society for Dialysis Therapy

2016年調査