

表 1585 腹膜炎罹患回数(回/年) 透析歴(年)別 (腹膜透析単独患者)

透析歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
2年未満	1,935	264	47	11	1						2,258		1,148	3,406
(%)	(85.7)	(11.7)	(2.1)	(0.5)	(0.0)						(100.0)			
2年～	1,334	191	38	5	2	1	1		1		1,573		811	2,384
(%)	(84.8)	(12.1)	(2.4)	(0.3)	(0.1)	(0.1)	(0.1)		(0.1)		(100.0)			
5年～	492	59	12	6	1	1					571		369	940
(%)	(86.2)	(10.3)	(2.1)	(1.1)	(0.2)	(0.2)					(100.0)			
10年～	72	10	1	1							84		43	127
(%)	(85.7)	(11.9)	(1.2)	(1.2)							(100.0)			
15年～	19	5									24		16	40
(%)	(79.2)	(20.8)									(100.0)			
20年～	9	1									10		6	16
(%)	(90.0)	(10.0)									(100.0)			
25年～			1								1		3	4
(%)			(100.0)								(100.0)			
30年～	2										2			2
(%)	(100.0)										(100.0)			
35年～													1	1
(%)														
40年～														
(%)														
合計	3,863	530	99	23	4	2	1		1		4,523		2,397	6,920
(%)	(85.4)	(11.7)	(2.2)	(0.5)	(0.1)	(0.0)	(0.0)		(0.0)		(100.0)			
不明	2										2		9	11
(%)	(100.0)										(100.0)			
記載なし														
(%)														
総計	3,865	530	99	23	4	2	1		1		4,525		2,406	6,931
(%)	(85.4)	(11.7)	(2.2)	(0.5)	(0.1)	(0.0)	(0.0)		(0.0)		(100.0)			
平均	2.32	2.36	2.46	2.78	3.00	4.50	2.00		2.00		2.33		2.57	2.41
標準偏差	2.83	2.87	3.19	2.81	3.46	0.71					2.84		3.10	2.94

数値下のかっこ内は行方向の合計に対する%です。

##D6523##

(C)Japanese Society for Dialysis Therapy

2016年調査